

Dear Volunteer Applicant,

Thank you for your interest in volunteering at Monmouth Medical Center. You have chosen to be part of a dynamic team of volunteers who enhance the patient experience at our Medical Center. In an effort to ensure the application review process is timely, please note that incomplete applications will be returned to the applicant. Please ensure that the following sections are complete and make a copy of your application for your records prior to submitting.

Adult Applicants (over the age of 18)

- _____ Application
- _____ 2 References
- _____ Pre-Placement Physical Checklist completed by your physician
- _____ Copy of COVID-19 Vaccination Card
- _____ Background Check Form (completed upon application acceptance)

Please send completed applications to:

Office of Volunteer Services
Monmouth Medical Center
300 Second Avenue
Long Branch, NJ 07740

Upon receipt of your completed application, you will be contacted to discuss the exciting volunteer opportunities at Monmouth Medical Center and be provided with information to schedule an appointment with our Corporate Care Office to request Medical Clearance. Please be reminded that we ask for a minimum commitment of 150 hours annually with a minimum commitment of one year of service.

Every new volunteer is required to attend a New Volunteer Orientation. It is a one-day educational session covering such topics as safety, infection control and patient confidentiality.

If you have any questions about the volunteer application process, please feel free to contact the Office of Volunteer Services at 732-923-6671 or e-mail me at laura.siemientkowski@rwjbh.org.

Sincerely,

Laura A. Siemientkowski
Manager, Office of Volunteer Services

Adult Volunteer Application



Monmouth Medical Center
Office of Volunteer Services
300 Second Avenue
Long Branch, NJ 07740
Telephone: 732-923-6670
Fax: 732-923-6673

Monmouth Medical Center Southern Campus
Office of Volunteer Services
600 River Avenue
Lakewood, NJ 08701
Telephone: 732-886-4523
Fax:

ADULT VOLUNTEER APPLICATION

Date of Application: _____

Please complete this application in its entirety and return it to the Volunteer Office. After we receive the application and references, we will contact you to arrange an interview.

PERSONAL CONTACT INFORMATION:

Last Name: _____ First: _____ MI: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Adult Community where you reside (if applicable) _____

KMC Auxiliary Member: ___ Yes ___ No If Yes, Auxiliary Unit: _____

Home Phone: _____ Work Phone: _____

Cell Phone: _____ E-mail address: _____

Are you 18 years of age or older? ___ Yes ___ No

EMERGENCY CONTACT INFORMATION:

Name: _____ Relationship: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Home Phone: _____ Work Phone: _____ Cell: _____

PRIOR EMPLOYMENT:

Are you now or have you ever been employed by the RWJBarnabas Health System or one of its affiliates?

_____ Yes _____ No

If YES, please list the facility/facilities: _____

Please list the title and dates of employment: _____

Reason for Leaving: _____

How were you referred to Monmouth Medical Center/Monmouth Medical Center Southern Campus to volunteer? _____

Why are you interested in volunteering? _____

GENERAL INFORMATION:

Background: ___ **Currently Employed** ___ **Currently Unemployed** ___ **Retired**

Name of Employer: _____ Date(s): _____

Business Address: _____ Phone: _____

VOLUNTEER EXPERIENCE:

Name of Organization: _____ Date(s): _____

Business Address: _____ Phone: _____

Skills, Interests or Training: _____

Foreign Language(s) Spoken: _____

ACADEMIC BACKGROUND:

High School: _____ Years Completed: _____

College: _____ Years Completed: _____

Other Educational Experiences: _____

Are you interested in a health career? Yes _____ No _____ If yes, area of interest _____

PERSONAL AND/OR PROFESSIONAL REFERENCES (NO RELATIVES): Please provide letter of recommendation from each reference.

Your application is not complete if any reference information is omitted.

1. Name: _____ Relationship: _____ Daytime Phone: _____

Address	City	State	Zip
---------	------	-------	-----

2. Name: _____ Relationship: _____ Daytime Phone: _____

Address	City	State	Zip
---------	------	-------	-----

I have completed this application to the best of my knowledge and verify its contents. I hereby authorize Monmouth Medical Center/Monmouth Medical Center Southern Campus to investigate all statements and references included on this application.

A volunteer's service is by mutual consent and may be separated by the management of the Office of Volunteer Services, the management of the Medical Center or the volunteer, at any time, with or without cause. It is understood that while volunteering, all hospital rules, regulations and procedures must be abided by.

It is also understood that failure to carry out the responsibilities of a volunteer and conducting oneself in the best interest of the Medical Center and its patients are grounds for dismissal from the Volunteer Program.

I am able to volunteer a minimum of 150 hours annually and am committed to volunteering a minimum of one year at Monmouth Medical Center/Monmouth Medical Center Southern Campus unless otherwise agreed upon.

Applicant Signature _____ Date _____

Volunteer Medical Clearance Process

New Volunteer Pre-Placement Physical Checklist

- To be completed by your physician after your interview or acceptance to the volunteer program. This is a requirement for volunteering.

2-Step PPD

- Adults Only: At least 1 PPD must be completed at MMC Corporate Care Office.

Proof of Immunity

- All candidates are required to provide documentation of current immunizations or titer testing.
- Titer testing is required for Hep B, even if applicants have received the immunizations.
- If you do not have immunity to the following viruses: Rubella, MMR, Varicella, Hepatitis B, and Tdap, you must either obtain the immunization or sign an OSHA Declination Form which is available at Employee Health (Corporate Care) when you present your completed New Volunteer Pre-Placement Physical Checklist.
- Teens (16-17) are required to obtain all immunizations and PPDs from their physician.

Submission of Completed Volunteer Pre-Placement Physical Checklist

- **Completed Pre-Placement Physical Checklist must be reviewed with the volunteer applicant at the Corporate Care Office in person. You will be required to present a photo ID e.g., driver's license, school ID, passport, etc.**
- **Teens (ages 16-17) must be accompanied by a parent and both present a photo ID.**
- **Please schedule an appointment with the Corporate Care Office by calling Joyce at 732-923-6745 to present form and schedule testing.**

Corporate Care Office Location:

Monmouth Medical Center, 300 Second Avenue, Long Branch, NJ 07740

Phone: (732) 923-6745 Contact: Joyce

Hours: 8:00 am – 4:00 pm - Monday - Friday

TITLE: NEW VOLUNTEER Medical Clearance Policy
EFFECTIVE DATE: 11-13-2018

Corporate Care Policy #6

Attachment #1 **New Volunteer Pre-placement Physical Checklist attestation form**

Name:	Phone Number:
ADULT (18 y/o or older) OR TEEN (17 y/o or younger)	Date of Birth:
Email:	
Department: VOLUNTEER	Social Security #:

1. Physical exam w/in past 12 months, then annually, demonstrating free of communicable disease.

2. Tuberculosis (TB) infection screening with the Tuberculin Skin Test (TST)/PPD, as follows:

- An initial 2-Step PPD/TST process; with an annual PPD subsequently. Please note most recent:

Date PPD#1plant: _____ **Date PPD-read:** _____ **Result:** _____ mm indur.

Date PPD#2plant: _____ **Date PPD-read:** _____ **Result:** _____ mm indur.

NOTE: If a PPD is read Positive or ≥ 10 mm induration, **ALL** the following is required to be provided:

- An evaluation by a Physician (MD/DO) or APN to rule out active Contagious TB infection, and:
- An Interferon Gamma Release Assay (IGRA) blood test (TSPOT® or QFTG®); and if positive (or not negative):
- An initial/baseline chest x-ray that is "Negative" for active/contagious TB; performed w/in past 12 months.

3. Proof of Immunity to all the following viruses:

- Rubella (German Measles)- a Positive IgG titer or proof of 1 MMR vaccine.
- Rubeola (Measles) - a Positive IgG titer or proof of 2 MMR vaccines, given at least 4 weeks apart.
- Mumps- a Positive IgG titer or proof of 2 MMR vaccines, given at least 4 weeks apart.
- Varicella (Chickenpox)- a Positive IgG titer or 2 VARIVAX vaccines, given at least 4 weeks apart.
- Hepatitis B- a Positive hepatitis B surface Antibody titer BLOOD TEST for immunity;** if negative, then either a Hepatitis B vaccine series started or a signed OSHA Hepatitis B vaccine Declination Form (see OSHA Bloodborne Pathogens Standard 29 CFR 1910.1030).

4. Proof of Vaccination with:

- Tdap (Tetanus, diphtheria, acellular pertussis)** adult vaccine (Adacel® or Boostrix®).
(Note: the childhood vaccines called DTAP are NOT acceptable substitutions).
- Influenza vaccine** (seasonal, usually between September 1st and March 31st)
DATE Influenza Vaccine: _____ **Was Vaccine given at RWJBH clinic?** YES or NO
(or DATE of RWJBH Influenza Exemption Letter (it must be attached): _____.)

I attest the above named Individual has completed ALL medical requirements listed above, and all medical documentation is retained in my medical office medical records, EXCEPT:

(LIST above only those medical tests or vaccines NOT available in your medical office)

Physician SIGNATURE (conducting exam)

PRINT Name

Date

Physician Address

Telephone Number

License #

After above form COMPLETED, call your RWJBH Corporate Care/Employee Health clinic to schedule an appt. for your Urine Drug Screen and review of this Attestation Form.

Address: 300 Second Avenue, Long Branch, NJ 07740

Hours: M-F, 8a-4p

Telephone: 732-923-6745

FAX: 732-923-6747

Attachment #2 CDC- Recommended Vaccines for Healthcare Workers
<http://www.cdc.gov/vaccines/adults/rec-vac/hcw.html>

Healthcare workers (HCWs) are at risk for exposure to serious, and sometimes deadly, diseases. If you work directly with patients or handle material that could spread infection, you should get appropriate vaccines to reduce the chance that you will get or spread vaccine-preventable diseases. Protect yourself, your patients, and your family members. Make sure you are up-to-date with recommended vaccines.

Healthcare workers include physicians, nurses, emergency medical personnel, dental professionals and students, medical and nursing students, laboratory technicians, pharmacists, hospital volunteers, and administrative staff.

Vaccines	Recommendations in brief
<u>Hepatitis B</u>	If you don't have documented evidence of a complete hepB vaccine series, or if you don't have an up-to-date blood test that shows you are immune to hepatitis B (i.e., no serologic evidence of immunity or prior vaccination) then you should Get the 3-dose series (dose #1 now, #2 in 1 month, #3 approximately 5 months after #2). Get anti-HBs serologic tested 1–2 months after dose #3.
<u>Flu (Influenza)</u>	Get 1 dose of influenza vaccine annually.
<u>MMR (Measles, Mumps, & Rubella)</u>	If you were born in 1957 or later and have not had the MMR vaccine, or if you don't have an up-to-date blood test that shows you are immune to measles or mumps (i.e., no serologic evidence of immunity or prior vaccination), get 2 doses of MMR (1 dose now and the 2nd dose at least 28 days later). If you were born in 1957 or later and have not had the MMR vaccine, or if you don't have an up-to-date blood test that shows you are immune to rubella , only 1 dose of MMR is recommended. However, you may end up receiving 2 doses, because the rubella component is in the combination vaccine with measles and mumps. For HCWs born before 1957, see the <u>MMR ACIP vaccine recommendations</u> .
<u>Varicella (Chickenpox)</u>	If you have not had chickenpox (varicella), if you haven't had varicella vaccine, or if you don't have an up-to-date blood test that shows you are immune to varicella (i.e., no serologic evidence of immunity or prior vaccination) get 2 doses of varicella vaccine , 4 weeks apart.
<u>Tdap (Tetanus, Diphtheria, Pertussis)</u>	Get a one-time dose of Tdap as soon as possible if you have not received Tdap previously (regardless of when previous dose of Td was received). Get Td boosters every 10 years thereafter. Pregnant HCWs need to get a dose of Tdap during each pregnancy.
<u>Meningococcal</u>	Those who are routinely exposed to isolates of <i>N. meningitidis</i> should get one dose.

Attachment #3: Excerpts from: **MMWR: Prevention of Measles, Rubella, Congenital Rubella Syndrome, and Mumps, 2013: Summary Recommendations of the Advisory Committee on Immunization Practices (ACIP) Recommendations and Reports June 14, 2013 / 62(RR04);1-34.** Full report found at: <http://www.cdc.gov/mmwr/preview/mmwrhtml/rr6204a1.htm>

Summary *This report is a compendium of all current recommendations for the prevention of measles, rubella, congenital rubella syndrome (CRS), and mumps. The report presents the recent revisions adopted by the Advisory Committee on Immunization Practices (ACIP) on October 24, 2012, and also summarizes all existing ACIP recommendations that have been published previously during 1998–2011 (CDC. Measles, mumps, and rubella—vaccine use and strategies for elimination of measles, rubella, and congenital rubella syndrome and control of mumps: recommendations of the Advisory Committee on Immunization Practices [ACIP]. MMWR 1998;47[No. RR-8]; CDC. Revised ACIP recommendation for avoiding pregnancy after receiving a rubella-containing vaccine. MMWR 2001;50:1117; CDC. Updated recommendations of the Advisory Committee on Immunization Practices [ACIP] for the control and elimination of mumps. MMWR 2006;55:629–30; and, CDC. Immunization of health-care personnel: recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 2011;60[No. RR-7]). Currently, ACIP recommends 2 doses of MMR vaccine routinely for children with the first dose administered at age 12 through 15 months and the second dose administered at age 4 through 6 years before school entry. **Two doses are recommended for adults at high risk for exposure and transmission (e.g., students attending colleges or other post-high school educational institutions, health-care personnel, and international travelers) and 1 dose for other adults aged ≥18 years. For prevention of rubella, 1 dose of MMR vaccine is recommended for persons aged ≥12 months.** At the October 24, 2012 meeting, ACIP adopted the following revisions, which are published here for the first time. These included:*

For acceptable evidence of immunity, **removing documentation of physician diagnosed disease as an acceptable criterion for evidence of immunity for measles and mumps, and including laboratory confirmation of disease as a criterion for acceptable evidence of immunity for measles, rubella, and mumps.*

Health-Care Personnel Born Before 1957—Although birth before 1957 is considered acceptable evidence of measles, rubella, and mumps immunity, **health-care facilities should consider vaccinating unvaccinated personnel born before 1957 who do not have laboratory evidence of measles, rubella, and mumps immunity; laboratory confirmation of disease; or vaccination with 2 appropriately spaced doses of MMR vaccine for measles and mumps and 1 dose of MMR vaccine for rubella.** Vaccination recommendations during outbreaks differ from routine recommendations for this group (see section titled Recommendations during Outbreaks of Measles, Rubella, or Mumps).

Serologic Testing of Health-Care Personnel—Prevaccination antibody screening before measles, rubella, or mumps vaccination for health-care personnel who do not have adequate presumptive evidence of immunity is not necessary unless the medical facility considers it cost effective. **For health-care personnel who have 2 documented doses of measles- and mumps- containing vaccine and 1 documented dose of rubella-containing vaccine or other acceptable evidence of measles, rubella, and mumps immunity, serologic testing for immunity is not recommended.** If health-care personnel who have 2 documented doses of measles- or mumps-containing vaccine are tested serologically and have negative or equivocal titer results for measles or mumps, it is not recommended that they receive an additional dose of MMR vaccine. Such persons should be considered to have acceptable evidence of measles and mumps immunity; retesting is not necessary. Similarly, if health-care personnel (except for women of childbearing age) who have one documented dose of rubella-containing vaccine are tested serologically and have negative or equivocal titer results for rubella, it is not recommended that they receive an additional dose of MMR vaccine. Such persons should be considered to have acceptable evidence of rubella immunity.

Attachment #4 **Medical Clearance Form - NEW VOLUNTEER Applicant**
(for Robert Wood Johnson BarnabasHEALTH (RWJBH) Medical facilities)

Name: _____ DOB: _____

_____ Teen Volunteer OR _____ Adult Volunteer

_____ YES, the above named New Volunteer is medically cleared to
VOLUNTEER at RWJBH medical facilities.

_____ YES, the above named New Volunteer is medically cleared to VOLUNTEER at
RWJBH medical facilities with the following Restrictions/Limitations:

_____ NO, the above named New Volunteer is NOT medically cleared to VOLUNTEER at
RWJBH medical facilities.

September 1st through March 31st- INFLUENZA vaccination information:

_____ New Volunteer has medical documentation/attestation showing they received
the Influenza vaccine this season, ELSEWHERE.

_____ New Volunteer had Influenza Vaccine at a RWJBH facility.

RWJBH- Corporate Care/Employee Health Staff Member

Date

Volunteer Director/Representative: _____