

Welcome to the MMC Southern Campus Pharmacy Department

Department Contact Information:


Main Pharmacy	x22250
IV Room	x22257
Direct Line (Outside Hospital)	732.886.4669

Director (Site Manager)	Gary Del Piano	x24690
Regional Director (MMC & MSC)	A. Scott Mathis	x24572, x36753 (MMC)
Clinical Specialist	Alexander Clark	x24681
Clinical Specialist	Yasmine Elbaga	x24519
IV Room Lead Pharmacist	Claire Fawzy	x22257
Materials Management Specialist	Luchi Doyle	x24532

Department of Pharmacy Services Facts:


- Precept pharmacy student rotations each year
- Participate in multidisciplinary rounds on the units
- Monitor inpatient warfarin doses. All warfarin orders must be ordered daily and require a daily INR.
- Clinical Pharmacy Specialist presence in ED/GEM unit, CCU unit, Antimicrobial Stewardship
- 340B Eligible Facility
- Several Tracked Initiatives (some graph examples below):
 - PPI doses dispensed, Antibiotic Spend, Days of therapy, and defined daily dose, Percent of inpatient INR maintained <4, IV anticoagulant to Oral warfarin conversion within 48 hours, Preventable VTEs and dose intensity

PPI Doses




Antimicrobial Stewardship Tracked Initiatives:


- Antibiotic Cost per Day



- Antibiotic Days of Therapy (DOT)




- Antibiotic Defined Daily Dose (DDD)




Percentage of Inpatients with INR <4

***an INR is required prior to verification and dispensing of a warfarin order*



Percentage of patients on IV anticoagulation converted to PO Warfarin within 48 hours



RWJBARNABAS HEALTH
PHARMACY AND THERAPEUTICS COMMITTEE
FORMULARY REQUEST FORM

Any physician requesting the addition or deletion of a medication to the Formulary must **complete** this form. The form must then be countersigned by the appropriate Department Chairperson or Division Chief and forwarded to the Director of Pharmacy Services. Completed form should be **submitted to DI center at least 30 days before** the next scheduled meeting of the P&T Committee. The requesting physician may attend and present at the Committee meeting.

The following agent is being requested for Formulary (Place an "X" on the line)
_____ Addition _____ Deletion

The following agent is being requested for Formulary (Place an "X" on the line)
_____ New drug entity _____ Line extension _____ Biosimilar

Generic Name: _____

Brand Name: _____

Manufacturer: _____

Dosage Form and Strength: _____

Number of patients you have treated with this medication: _____

What are the presently available formulary items for this indication?

List which (if any) medication(s) may be deleted from the formulary if this agent is added:

Describe the reasons why the medication is superior (addition request), inferior (deletion request) or completely different to the present available formulary items. List any nuances of the drug that needs to be evaluated.

Will this medication be restricted to any special populations or specialties? If so, which ones?

Was this formulary request prompted by a manufacturer's representative? _____ Yes _____ No
Do you have any peer-reviewed studies/articles that you would like to be reviewed? _____ Yes (Attach) _____ No
Do you have a financial conflict of interest with this request and the involved manufacturer (i.e. received grants, funding, etc.)? _____ Yes _____ No

Requested by: _____ (Please PRINT & Sign)

Request Supported by _____ (Department Chairperson)
(Please PRINT & Sign)

Request Supported by _____ (Division Chief)
(Please PRINT & Sign)

Anticipated P&T presentation date _____ Date sent to DI center _____ (Use MM/DD/YY)

2018 Unapproved Abbreviations

Please *do not use* the following abbreviations as they are known to cause medical errors:

Do Not Use	Potential Problem	Use Instead
AS/AD/AU/OD/OS/OU	Left/Right/Both/Ears/ Left/Right/Both Eyes	Write out "left ear/eye" "right ear/eye" "both ears/ "eyes"
U (Unit)	Mistaken for "0" zero, the number "4" (four) or "cc"	Write "unit"
IU (International Unit)	Mistaken for IV (intravenous) or the number 10 (ten)	Write "International Unit"
Q.D., QD, q.d., qd (daily) Q.O.D., QOD, q.o.d., qod (every other day)	Mistaken for each other period after the Q mistaken for "I" and the "O" mistaken for "I"	Write "daily" Write "every other day"
QID (four X a day)	Mistaken for QD	Write "four times a day" or 4 times a day"
Trailing zero (X.0 mg)* Lack of leading zero (.X mg)	Decimal point is missed	Write X mg Write 0.X mg
MS MSO ₄ and MgSO ₄	Can mean morphine sulfate or magnesium sulfate Confused for one another	Write "morphine sulfate" White "magnesium sulfate"
*Applies to all orders and all medication-related documentation that is handwritten (including free-text (computer entry) or on pre-printed forms.		
*Exception: A "trailing zero" may be used only where required to demonstrate the level of precision of the value being reported, such as for laboratory results, imaging studies that report size of lesions, or catheter/tube sizes. It may not be used in medication orders or other medication-related documentation.		

2018 HIGH ALERT MEDICATIONS... IT'S A CINCH

CHEMOTHERAPY

INSULINS

NEUROMUSCULAR BLOCKERS

COUMADIN (WARFARIN)

HEPARIN

2018 Look Alike Sound Alike Medication List (LASA)

POTENTIAL PROBLEMATIC DRUG NAMES	SAFETY STRATEGIES
EPINEPHrine (Adrenalin) and EPHEDrine	Tallman letters/LASA labels in Rx stock areas. Alert /Tallman letters in Pyxis/CIS. Brand/generic name
DOPamine and DOBUTamine	Tallman letters/LASA labels in Rx stock areas. Alert /Tallman letters in Pyxis/CIS. Brand/generic name
HYDRomorphone (Dilaudid) and MORphine injections	Alert /Tallman letters in Pyxis. Brand name only for Dilaudid in CIS/Pyxis. Generic/brand name for morphine. Scan on refill and load in Pyxis.
HydrOXYzine (Vistaril, Atarax) and HydrALAZINE	Tallman letters and LASA labels in Rx stock areas. LASA stickers. Alert and Tallman letters in Pyxis/CIS. Brand/generic name
HumuLIN and HumaLOG NovoLIN and NovoLOG NovoLIN 70/30 and NovoLOG MIX 70/30	Utilization of pens/vials per patient. Tallman letters/LASA labels in Rx stock areas. LASA stickers/dispensed in high alert bags. Alert/Tallman letters in Pyxis/CIS. Brand/generic name
MS Contin and OxyCONTIN	Alert/Tallman letters in Pyxis/CIS. Brand/generic name. Scan on refill and load in Pyxis.
Mucinex and Mucomyst	Alert in Pyxis. Brand/generic name
DOXOrubicin <i>liposomal</i> (Doxil) and DOXOrubicin <i>conventional</i> (Adriamycin)	Tallman letters and LASA labels in Rx storage area. Stored with chemo meds separately.
Amphotericin B <i>liposomal</i> (Ambisome) and Amphotericin B desoxycholate <i>conventional</i> (Amphocin, Fungizone)	Tallman letters and LASA labels in Rx stock areas.
Levemir and Lovenox	Alert in Pyxis. Brand/generic name
Oxycodone <i>controlled release</i> (Oxycontin) and Oxycodone <i>immediate release</i>	Alert and Tallman letters in Pyxis/CIS. Brand/generic name. Scan on refill and load in Pyxis.
GlyBURIDE and GlipiZIDE	Alert/Tallman letters in Pyxis/CIS. Tallman letters/LASA labels in Rx stock areas.
CeleBREX, CeleXA and CereBYX	Tallman letters/LASA labels in Rx stock areas. Alert/Tallman letters in Pyxis/CIS. Brand/generic name
CloNIDine (Catapres) and KlonOPIN	Alert/Tallman letters in Pyxis/CIS. Brand/generic name
Minoxidil and Midodrine	Alert in Pyxis. Brand/generic name. LASA labels in Rx stock areas.
SulfADIAZINE and SulfaSALazine	Alert/Tallman letters in Pyxis/CIS. Brand/generic name
LORazepam (Ativan) and ALPRAZolam (Xanax)	Alert and Tallman letters in CIS/Pyxis. Brand/generic name. Scan on refill and load in Pyxis.

Antimicrobial Stewardship at a glance...

**The new *Antimicrobial Stewardship Standard* requires the documentation of an indication for all prescribed antibiotics:
*This requirement is live in Cerner (February 8th, 2017)***

Situation:

RWJBarnabas Health continues efforts to enhance antimicrobial stewardship initiatives across the enterprise. The Joint Commission antimicrobial stewardship standard became effective January 1, 2017. Included in this standard are the CDC Core Elements of Hospital Antimicrobial Stewardship Programs.

Background:

A central element of the CDC Hospital Antimicrobial Stewardship Program is the implementation of policies which support optimal antibiotic use, including the antibiotic indication. According to the CDC, "making this information accessible helps ensure that antibiotics are modified as needed and/or discontinued in a timely manner."¹ RWJBarnabas Health is committed to expanding antimicrobial stewardship efforts. In accordance with this standard, prescribers will be required to document the indication of the antibiotic during physician order entry in the computerized physician order entry system in addition to documenting in the medical record. Within the CIS is a pre-built drop down menu with indication choices developed through consensus of Infectious Diseases providers throughout the system. The implementation of this initiative is in alignment with RWJBarnabas Health's support of antimicrobial stewardship and The Joint Commission Standard.

Assessment:

RWJBarnabas Health is committed to strengthening its antimicrobial stewardship program. The implementation of this initiative is in alignment with RWJBarnabas Health's support of antimicrobial stewardship and The Joint Commission Standard.

Recommendation:

- Prescribers will be required to document the indication of the antibiotic, using an applicable list of indications or an "Other" category, during the order entry process.

Antimicrobial Stewardship at a glance...

- Antimicrobial Indication Selection Quick Overview
 - Select antimicrobial order sentence

ampicillin

Order Sentences

Order sentences for: ampicillin

- 500 mg, Intermittent, IV Piggyback, Every 6 Hr Intvl
- 1 g, Premix IV, IV Piggyback, Once
- 1 g, Premix IV, IV Piggyback, Every 6 Hr Intvl
- 1 g, Premix IV, IV Piggyback, Every 4 Hr Intvl
- 2 g, Premix IV, IV Piggyback, Once
- 2 g, Premix IV, IV Piggyback, Every 6 Hr Intvl
- 250 mg, Capsule, Oral, 4 Times a Day
- 500 mg, Capsule, Oral, 4 Times a Day
- 250 mg, Suspension, Oral, 4 Times a Day
- 50 mg/kg, Injection, IV Push, Every 6 Hr Intvl, NICU / PEDS use
- 50 mg/kg, Syringe, IV Piggyback, Every 6 Hr Intvl, Infuse over 10 minutes, NURS use

After selecting the sentence, the prescriber will see the "Indication for Antibiotic Field" which will have the established reasons available for choice, including "Other (Specify in Clinical Instrs)".

NOTE: selecting "other" will not force prescriber to type anything in the clinical instructions box. Clarification will need to be made i.e. contact the prescriber if "Other" is selected but nothing is filled out under "Clinical Instrs" field.

Orders for Signature

Order Name	Status	Start	Details
CMMC ED Acct # 0088000104854 Admit: 9/8/2016 09:55 EDT			
Medications			
ampicillin	Order	1/10/2017 16:00 EST	1 g, Premix IV, IV Piggyback, Every 6 Hr Intvl, Start: 01/10/17 16:00 EST, Duration: 3 Day, Stop: 01/15/17 15:52 EST

Details for ampicillin

Remaining Administrations: 20 Stop: 01/15/17 15:52

*Dose: 1	*Dose Unit: g
Drug Form: Premix IV	Route: IV Piggyback
*Frequency: Every 6 Hr Intvl	First Dose Priority:
*First Dose Date/Time: 01/10/17 16:00 EST	Duration: 5
Duration Unit: Day	Stop type: Hard Stop
Stop Date/Time: 01/15/2017 15:52 EST	Dispense Category:
Infuse over:	Infuse over unit:
Clinical Instructions:	*Indication for Antibiotic:

- Appendicitis
- Bacteremia
- Bloodstream Infection
- Candidiasis, candidemia
- Candidiasis, Non-candidemia
- Cellulitis
- Cholecystitis/cholangitis
- Chorioamnionitis
- Clostridium difficile infection
- CNS Infection, Meningitis

Antimicrobial Stewardship at a glance...

Restricted Medication List

Medication	Restricted to
ANTIMICROBIALS	
Amikacin	Infectious Disease, Pulmonology, Neurology, Hematology/Oncology
Amikacin inhale (Tobi)	Infectious Disease, Pulmonology
Amphotericin B liposomal (Ambisome)	Infectious Disease
Caspofungin (Cancidas)	Infectious Disease
Ceftaroline (Teflaro)	Infectious Disease
Ceftazidime	Infectious Disease and Pediatrics
Ceftazidime-Avibactam (Avycaz)	Infectious Disease
Ceftolozane/tazobactam (Zerbaxa)	Infectious Disease
Cefuroxime (Zinacef)	Pediatrics
Ciprofloxacin (Cipro) injection	Infectious Disease
Colistin/Colistimethate IV administration (Coly-Mycin-M)	Infectious Disease
Colistin inhaled	Infectious Disease
Dalbavacin (Dalvance)	Infectious Disease AND outpatient only – both must be met (not in ED)
Daptomycin (Cubicin)	Infectious Disease, Pulmonology, Neurology, Hematology/Oncology
Ertapenem (Invanz)	Infectious Disease, abdominal surgery
Foscarnet (Foscavir)	Infectious Disease
Ganciclovir (Cytovene) injection	Infectious Disease
Linezolid (Zyvox)	Infectious Disease, Pulmonology, Neurology, Hematology/Oncology
Meropenem (Merrem)	Infectious Disease
Piperacillin/tazobactam (Zosyn)	Infectious Disease and Intensivist for ICU
Quinupristin/Dalfopristin (Synercid)	Infectious Disease
Rifaxamin (Xifaxan)	Infectious Disease and Gastroenterology
Tedizolid (Sivextro)	Infectious Disease
Telavancin (Vibativ)	Infectious Disease
Tigecycline (Tygacil)	Infectious Disease
Voriconazole (Vfend)	Infectious Disease
CARDIOVASCULARS/NEPHROLOGY	
Alprostadil (Prostin VR)	Pediatrics
Enalapril 2.5mg tablets	Pediatrics
Prasugrel (Effient)	Cardiology
Regadenoson (Lexiscan)	Outpatient cardiac testing
Ticagrelor (Brilinta)	Cardiology
Tolvaptan (Samsca)	Nephrology
CENTRAL NERVOUS SYSTEM	
Apripiprazole long-acting injection (Abilify Maintena)	Outpatient only
Aripiprazole long-acting injection (Aristada)	Psychiatry only
Clozapine (Clozaril)	REMS qualified psychiatrists only

Dexmedetomidine (Precedex)	Anesthesia/Neurosurgery and Critical Care only
Lacosamide (Vimpat)	Adult Patients only
Naltrexone injection (Vivitrol)	Outpatient only
Paliperidone (Invega Trinza)	Outpatient only
Remifentanyl (Ultiva)	Anesthesia/Neurosurgery only
GASTROINTESTINALS	
(Fos)Aprepitant (Emend)	Outpatient only
Lansoprazole (Prevacid solutab)	Patients with feeding tubes
Palonosetron (Aloxi)	Outpatient only
Rifaxamin (Xifaxan)	Infectious Disease and Gastroenterology
Vedolizumab (Entyvio)	Outpatients only by Gastroenterology
HEMATOLOGY/ONCOLOGY/INFUSION	
Argatroban	Hematology/Oncology only
Denosumab (Prolia)	Outpatient only
Denosumab (Xgeva)	Oncology only
Ferric Carboxymaltose (Injectafer)	Outpatient only
Golimumab (Simponi, Simponi Aria)	Outpatient only
Natalizumab (Tysabri)	Outpatient only
Pegfilgrastim (Neulasta, Neulasta OnBody)	Outpatient only
Pralatrexate (Folotyn)	Outpatient Oncology
Romiplostim (NPlate)	Hematology/Oncology only
OTHER	
Mepolizumab (Nucala)	Outpatient only
Sodium Hyaluronate (Supartz, etc)	Outpatient Orthopedics
Phytonadione 1mg/0.5mL	Newborns

AUTOMATIC THERAPEUTIC CONVERSIONS...

Automatic Conversion from IV to PO for select Medications

Acetaminophen (Ofirmev®)	no change in dose [†] or frequency (if patient can tolerate oral medication or has a feeding tube for medication administration)
Azithromycin (Zithromax®)	no change in dose
Ciprofloxacin (Cipro®)	400mg IV daily to 500mg PO daily 400 mg IV q12h to 500 mg PO q12h 400 mg q8h to 750 mg PO q12h 200 mg IV to 250 mg PO
Famotidine (Pepcid®)	no change in dose
Fluconazole (Diflucan®)	no change in dose (MD to be called for any dose above 400mg)
Levofloxacin (Levaquin®)	no change in dose
Linezolid (Zyvox®)	no change in dose
Metronidazole (Flagyl®) (except for patients with brain abscess)	no change in dose
Pantoprazole (Protonix®)	no change in dose
Methylprednisolone (Solu-Medrol®)*	IV methylprednisolone 4 mg = PO prednisone 5 mg
Erythromycin lactobionate for gastrointestinal motility	No change in dose or frequency (give before meals)

* Methylprednisolone IV to Prednisone PO conversion will be done only for patients receiving a 24-hour steroid equivalent dose of less than 64 mg of methylprednisolone per day. Patients receiving less than 24 hours of steroid, concomitant immunosuppressant or anti-neoplastic medications will be excluded.

† Dose for acetaminophen will be as close as possible, based on the available product. For example, if using acetaminophen 325mg tablets, then 975mg (3 tablets) will be use for the 1,000mg dose of IV

AUTOMATIC THERAPEUTIC SUBSTITUTION LIST

The pharmacist will document in the clinical information system when an automatic substitution is made by selecting "Auto Sub per P&T" under the communication type field. This will provide documentation that a therapeutic substitution was made.

Medications approved for automatic therapeutic substitution, as of February 2018:

Therapeutic Class		NON-FORMULARY DRUG/ORDER TO BE CHANGED		Brand Name	Dose ordered	FORMULARY EQUIVALENT		Substituted Strength	Substituted Dose		
Drug Class	Analgesics	Drug ordered	Brand Name	Brand Name	Dose ordered	Formulary Drug	Substituted to				
Analgesics		Acetaminophen IV scheduled dosing	Ofirmev	Ofirmev	1000mg	Discontinue all other forms of acetaminophen. If patient on oxycodone/acetaminophen, see below.		d/c all other APAP orders	d/c all other APAP orders		
		Acetaminophen IV scheduled dosing	Ofirmev	Ofirmev	1000mg	Acetaminophen IV		1000mg	every 6 hours x 4 doses		
		Acetaminophen IV scheduled dosing and patient already on oxycodone/acetaminophen.					Discontinue oxycodone/acetaminophen and order oxycodone IR 5 mg at the same frequency and instructions (i.e., prn, etc)		oxycodone 5mg at same frequency and instructions	oxycodone 5mg / 1 tab oxycodone 10mg / 2 tab	
		Aspirin Suppository 325mg	Aspirin	Aspirin	325mg	Aspirin Suppository 300mg			300mg	300mg / 1 suppository	
		Dilaudid IV Push – doses greater than 2 mg			greater than 2mg	Dilaudid IV – same dose in 50 ml 0.9% NaCl (per Pain Policy)					
		Morphine IV Push – doses greater than 10 mg			greater than 10mg	Morphine IV – same dose in 50 ml 0.9% NaCl (per Pain Policy)					
		Naproxen 220 mg tab			220mg	Naproxen 250 mg tab			Naproxen 250mg	250mg / 1 tab	
		Percocet (Oxycodone/Acetaminophen) 1 tablet									
		(no strength indicated)	Percocet	Percocet	none indicated	Percocet (oxycodone/APAP) 5-325 tab			5/325	5/325 - 1 tab	
		Percocet 7.5/500 tab	Percocet	Percocet	7.5/500	Percocet 5/325 use 1 ½ tabs			5/325	1.5 tab	
		Percocet 2.5/325 tab	Percocet	Percocet	2.5/325	Percocet 5/325 use ½ tab			5/325	0.5 tab	
		Percocet (Oxycodone/Acetaminophen) 2 tablets			10/650	Oxycodone IR 5 mg (2 tabs) + acetaminophen 325 mg			Oxycodone 5mg Acetaminophen 325mg	Oxycodone 10mg/2tab + Acetaminophen 325mg	
		Frequency: Scheduled or PRN								same frequency	same frequency
		Interval: Every 3 hours								same interval	same interval w/ instructions "give with oxycodone" on acetaminophen orders
Every 4 hours											
Ultracet (Tramadol plus acetaminophen 37.5/325) tab				Ultracet	37.5/325	Tramadol 50mg plus acetaminophen 325mg		50mg + 325mg	Tramadol 50mg + Acetaminophen 325mg		
Tramadol ER											
100mg PO daily			100mg	Tramadol ER				25mg	tramadol 25mg PO 4 times a day		
200mg PO daily			200mg	Ultram ER				50mg	tramadol 50mg PO 4 times a day		
300mg PO daily			300mg	Ultram ER				75mg	tramadol 75mg PO 4 times a day		

Anti-inflammatory agents, nonsteroidal	Vicodin (hydrocodone/APAP) 5/300 tab	Vicodin	5/300	Hydrocodone/APAP 5/325 tab	5/325	5/325 - 1 tab
	Vicodin ES 7.5/300 tab	Vicodin ES	7.5/300	Hydrocodone/APAP 7.5/325	7.5/325	7.5/325 - 1 tab
	Nabumetone	Relafen	750mg - 2000mg	Meloxicam (Mobic)	7.5mg tab	7.5mg/1tab PO daily
	Diclofenac	Voltaren	25mg	Meloxicam (Mobic)	7.5mg tab	7.5mg/1tab PO daily
	Diclofenac	Voltaren	50mg	Meloxicam (Mobic)	7.5mg tab	7.5mg/1tab PO daily
	Diclofenac	Voltaren	75mg	Meloxicam (Mobic)	7.5mg tab	7.5mg/1tab PO daily
	Diclofenac XR	Voltaren XR	100mg	Meloxicam (Mobic)	15mg tab	15mg/1tab PO daily
	Etodolac ER	Lodine XL	600mg	Meloxicam (Mobic)	15mg tab	15mg/1tab PO daily
	Etodolac ER	Lodine XL	500mg	Meloxicam (Mobic)	15mg tab	15mg/1tab PO daily
Anti-infectives						
Antifungals (SYSTEMIC):				See below for individual dose substitutions		
	Amphotericin B (conventional)		All	No conversion necessary	dose remains same	dose remains same
	Amphotericin B lipid complex (Abelcet)	Abelcet	All	Amphotericin B liposomal (Ambisome): *	indication specific, confirm with MD	indication specific, confirm with MD
	Anidulafungin	Eraxis	All	Caspofungin: 70 mg day 1, then 50 mg daily	70mg day 1, 50mg daily	Cancidas 70mg day 1; followed by Cancidas 50mg daily
	Micafungin: 100 to 150 mg IV	Mycamin	100mg to 150mg IV	Caspofungin: 70 mg day 1, then 50 mg daily	70mg day 1, 50mg daily	Cancidas 70mg day 1; followed by Cancidas 50mg daily
	Fluconazole	Diffucan	All	Fluconazole	No conversion necessary	No conversion necessary
	Posaconazole	Noxafil	All	Posaconazole	No conversion necessary	No conversion necessary
	Voriconazole	Vfend	All	Voriconazole	No conversion necessary	No conversion necessary
	Clarithromycin XL 1000mg PO Daily	Biaxin XL	1000mg PO daily	Biaxin (clarithromycin) 500mg PO BID	500mg	Clarithromycin 500mg PO BID
	Cefoxitin IV same dose					
	1gm or 2gm x 1 dose	Mefoxin	1gm or 2gm once	Cefotetan (Cefotan)	1gm or 2gm	IV x once
	1gm IV q6h	Mefoxin	1gm IV q6h	1gm IV q12h	1gm	Cefotetan 1gm IV q12h
	2gm IV q6h	Mefoxin	2gm IV q6h	2gm IV q12h	2gm	Cefotetan 2gm IV q12h
	Ciprofloxacin XR 1000mg PO daily	Cipro XR	1000mg PO daily	Ciprofloxacin	500mg	500mg PO BID
	Surgical prophylaxis more than 1 post-operative dose. (Except: plastic surgery or treatment antimicrobials)			Same agent, one-time dose. Give at same start time indicated in the prescriber's order. Orthopedics will be substituted to 24 hours.		
CNS/PSYCH						
	Memantine XR	Namenda XR	14mg	Memantine (Namenda)	5mg tab	5mg/1 tab twice daily
	Memantine XR	Namenda XR	28mg	Memantine (Namenda)	10mg tab	10mg/ 1 tab twice daily
	Memantine XR	Namenda XR	7mg	Memantine (Namenda)	5mg tab	5mg/1 tab daily
	Guanfacine ER	Intuniv	all strengths	Guanfacine IR	all strengths	half the dose, twice per day

lamoTrigine CHEW TAB	Lamictal Chewable	25mg as prescribed	1.Children <6 years, 2. patient who cannot swallow, 3. chew written on rx	N/A	N/A
lamoTrigine CHEW TAB	Lamictal Chewable	25mg as prescribed	1.Children <6 years, 2. patient who cannot swallow, 3. chew written on rx	N/A	N/A
Levetiracetam XR PO daily	Keppra XR daily	all strengths except 750mg	Age>6 years, chew not written on rx	lamoTrigine TAB	25mg/1Tab
Levetiracetam XR PO daily	Keppra XR daily	750mg PO daily	Levetiracetam IR	all strengths except 750mg	same total dose divided given BID
Fluvoxamine CR daily	Luvox CR	all strengths	Levetiracetam IR	750mg	250mg PO every 8 hours
Paroxetine CR (Paxil CR)			Fluvoxamine CR daily	Luvox CR	Same total dose divided given BID
Paroxetine CR	Paxil CR	12.5mg	Paroxetine IR (Paxil)	10mg tab	10mg PO
Paroxetine CR	Paxil CR	25mg	Paroxetine IR (Paxil)	20mg tab	20mg PO
Paroxetine CR	Paxil CR	37.5mg	Paroxetine IR (Paxil)	(3) 10mg tab	30mg PO
Paroxetine CR	Paxil CR	50mg	Paroxetine IR (Paxil)	(2) 20mg tab	40mg PO
Paroxetine CR	Paxil CR	62.5mg	Paroxetine IR (Paxil)	(1) 10mg tab; (2) 20mg tab	50mg PO
Paroxetine CR	Paxil CR	75mg	Paroxetine IR (Paxil)	(3) 20mg tab	60mg PO
Paroxetine CR (Pexeva)					
Paroxetine CR	Pexeva	10mg	Paroxetine IR (Paxil)	10mg tab	10mg PO
Paroxetine CR	Pexeva	20mg	Paroxetine IR (Paxil)	20mg tab	20mg PO
Paroxetine CR	Pexeva	30mg	Paroxetine IR (Paxil)	(3) 10mg tab	30mg PO
Paroxetine CR	Pexeva	40mg	Paroxetine IR (Paxil)	(2) 20mg tab	40mg PO
Galantamine ER (Razadyne ER)					
Galantamine ER	Razadyne ER	8mg PO daily	Galantamine (Razadyne)	4mg tab	4mg PO BID
Galantamine ER	Razadyne ER	16mg PO daily	Galantamine (Razadyne)	(2) 4mg tab	8mg/2tab PO BID
Galantamine ER	Razadyne ER	24mg PO Daily	Galantamine (Razadyne)	(3) 4mg tab	12mg/3tab PO BID
Sedative/Hypnotics: ALL			Formulary Product Stocked: Melatonin, Temazepam, Zolpidem (5mg)		
Ramelteon	Rozereem tab	8mg	Melatonin	3mg tab	3mg/1tab at bedtime
Melatonin	melatonin	1mg or 5mg	Melatonin	3mg tab	3mg/1tab at bedtime
Eszopiclone: 1 mg	Lunesta	1mg PO at bedtime	Zolpidem (Ambien)	5mg tab	5mg PO at bedtime
2 mg	Lunesta	2mg PO at bedtime	Zolpidem (Ambien)	5mg tab	5mg PO at bedtime
3 mg	Lunesta	3mg PO at bedtime	Zolpidem (Ambien)	5mg tab	5mg PO at bedtime
Flurazepam: 15 mg	Fiorapam	15mg PO at bedtime	Temazepam (Restoril)	15mg cap	15mg PO at bedtime
30 mg	Fiorapam	30mg PO at bedtime	Temazepam (Restoril)	(2) 15mg cap	30mg PO at bedtime
Triazolam: 0.25 mg	Halcion	0.125mg PO at bedtime	Zolpidem (Ambien)	5mg tab	5mg PO at bedtime
0.125 mg	Halcion	0.25mg PO at bedtime	Zolpidem (Ambien)	5mg tab	5mg PO at bedtime
0.5 mg	Halcion	0.5mg PO at	Zolpidem (Ambien)	5mg tab	5mg PO at bedtime

Sedative/Hypnotics

			bedtime									
	Zaleplon: 5 mg	Sonata	5mg PO at bedtime		Zolpidem (Ambien)	5mg tab	5mg PO at bedtime					
	10 mg	Sonata	10mg PO at bedtime		Zolpidem (Ambien)	5mg tab	5mg PO at bedtime					
	20 mg	Sonata	20mg PO at bedtime		Zolpidem (Ambien)	5mg tab	5mg PO at bedtime					
	Zolpidem: 5 mg	Ambien	5mg PO at bedtime		Zolpidem (Ambien)	No conversion necessary						
	10 mg	Ambien	10mg PO at bedtime		Zolpidem (Ambien)	5mg tab	5mg PO at bedtime					
	Zolpidem CR: 6.25 mg	Ambien CR	6.25mg PO at bedtime		Zolpidem (Ambien)	5mg tab	5mg PO at bedtime					
	12.5 mg	Ambien CR	12.5mg PO at bedtime		Zolpidem (Ambien)	5mg tab	5mg PO at bedtime					
	Alprazolam XR	Xanax XR	all strengths except 1.5mg PO Daily		Alprazolam IR (Xanax)	same total dose divided given BID						
	Alprazolam XR	Xanax XR	1.5mg PO daily		Alprazolam IR (Xanax)	0.5mg tab	0.5mg PO TID					
	Niravam	Niravam	all strengths		Alprazolam IR (Xanax)	same dose and frequency						
Cardiovascular												
	BRILINTA (Ticagrelor) -- ASPIRIN MAX DOSE											
	CHOLESTYRAMINE	4g/1Packet	as prescribed		Aspartame Allergy	DO NOT SUBSTITUTE	DO NOT SUBSTITUTE					
<i>bile acid sequestrants</i>	Fish oil 1,200 mg	-	1200mg		CHOLESTYRAMINE LIGHT PWD PACKET	4gm /1 packet	same frequency					
	Fish oil (Lovaza) 1000 mg	Lovaza	1000mg		Fish oil	1000mg cap	same dose/frequency					
	SAXAGLIPTIN TAB	Onglyza	2.5 mg		Fish oil	1000mg cap	same dose/frequency					
<i>dipeptidyl peptidase 4 inhibitors</i>	SAXAGLIPTIN TAB	Onglyza	5 mg		sitagliptin (Januvia)	50 mg	50mg /1 tab PO daily					
	Linagliptin	Tradjenta	5 mg		sitagliptin (Januvia)	100 mg	100mg/1tab PO daily					
	glyBURIDE-metFORMIN	Glucovance	2.5mg-500/1Tab		sitagliptin (Januvia)	100 mg	100mg/1tab PO daily					
<i>sulfonylureas</i>	glyBURIDE-metFORMIN	Glucovance	5mg-500/1Tab		Glyburide	2.5 mg	2.5mg tab as prescribed with Metformin					
	glyBURIDE-metFORMIN	Glucovance	5mg-500/1Tab		Metformin	500 mg	500mg tab as prescribed with glyburide					
	glyBURIDE-metFORMIN	Glucovance	1.25mg-250/1Tab		Glyburide	5 mg	5mg tab as prescribed with Metformin					
	fenofibrate and derivatives	Antara	30 mg		Metformin	500 mg	500mg tab as prescribed with glyburide					
<i>fibrin acid derivatives</i>	fenofibrate and derivatives	Antara	90 mg		Glyburide	1.25 mg	1.25mg tab as prescribed with Metformin					
	fenofibrate and derivatives	Fenofibrate micronized	43 mg		Metformin	500 mg	500mg tab as prescribed with glyburide					
	fenofibrate and derivatives	Antara	30 mg		Tricor (fenofibrate and derivatives)	48 mg	48mg/1tab PO daily					
	fenofibrate and derivatives	Antara	90 mg		Tricor (fenofibrate and derivatives)	145 mg	145mg/1tab PO daily					
	fenofibrate and derivatives	Fenofibrate micronized	43 mg		Tricor (fenofibrate and derivatives)	48 mg	48mg/1tab PO daily					

fenofibrate and derivatives	Fenofibrate micronized	130 mg	Tricor (fenofibrate and derivatives)	145 mg	145mg/1tab PO daily
fenofibrate and derivatives	Fenoglide	40 mg	Tricor (fenofibrate and derivatives)	48 mg	48mg/1tab PO daily
fenofibrate and derivatives	Fenoglide	120 mg	Tricor (fenofibrate and derivatives)	145 mg	145mg/1tab PO daily
fenofibrate and derivatives	Fibricor	35 mg	Tricor (fenofibrate and derivatives)	48 mg	48mg/1tab PO daily
fenofibrate and derivatives	Fibricor	105 mg	Tricor (fenofibrate and derivatives)	145 mg	145mg/1tab PO daily
fenofibrate and derivatives	Lipofen	50 mg	Tricor (fenofibrate and derivatives)	48 mg	48mg/1tab PO daily
fenofibrate and derivatives	Lipofen	150 mg	Tricor (fenofibrate and derivatives)	145 mg	145mg/1tab PO daily
fenofibrate and derivatives	Lofibra (micronized)	67 mg	Tricor (fenofibrate and derivatives)	48 mg	48mg/1tab PO daily
fenofibrate and derivatives	Lofibra (micronized)	200 mg	Tricor (fenofibrate and derivatives)	145 mg	145mg/1tab PO daily
fenofibrate and derivatives	Lofibra (tabs)	54 mg	Tricor (fenofibrate and derivatives)	48 mg	48mg/1tab PO daily
fenofibrate and derivatives	Lofibra (tabs)	160 mg	Tricor (fenofibrate and derivatives)	145 mg	145mg/1tab PO daily
fenofibrate and derivatives	Triglide	160 mg	Tricor (fenofibrate and derivatives)	145 mg	145mg/1tab PO daily
fenofibrate and derivatives	Triplix	45 mg	Tricor (fenofibrate and derivatives)	48 mg	48mg/1tab PO daily
fenofibrate and derivatives	Triplix	135 mg	Tricor (fenofibrate and derivatives)	145 mg	145mg/1tab PO daily
fenofibrate and derivatives	Fenofibrate(Tricor)	160 mg	Tricor (fenofibrate and derivatives)	145 mg	145mg/1tab PO daily
HMG-CoA Reductase Inhibitors ("Statins"); ALL					
Fluvastatin 20 mg daily	Lescol	20mg/1 tab PO daily	Pravastatin	10mg tab	10mg/1tab PO HS
40 mg daily	Lescol	40mg/1 tab PO daily	Pravastatin	20mg tab	20mg/1tab PO HS
40mg TWICE DAILY	Lescol	40mg/1 tab PO BID	Atorvastatin (Lipitor)	10mg tab	10mg/1tab PO HS
80 mg XL daily	Lescol XL	80mg/1 tab PO daily	Atorvastatin (Lipitor)	10mg tab	10mg/1tab PO HS
Lowastatin 10 mg	Mevacor	10mg/1 tab PO daily	Pravastatin	10mg tab	10mg/1tab PO HS
20 mg	Mevacor	20mg/1 tab PO daily	Pravastatin	20mg tab	20mg/1tab PO HS
40mg	Mevacor	40mg/1 tab PO daily	Atorvastatin (Lipitor)	20mg tab	20mg PO HS
40 mg TWICE DAILY	Mevacor	40mg/1 tab PO BID	Atorvastatin (Lipitor)	20mg tab	20mg PO HS
80 mg	Mevacor	80mg/1 tab PO daily	Atorvastatin (Lipitor)	20mg tab	20mg PO HS
Pltivistatin 1 mg	Livalo	1mg/1 tab PO daily	Pravastatin	20mg tab	20mg/1tab PO HS
2 mg	Livalo	2mg/1 tab PO daily	Atorvastatin (Lipitor)	10mg tab	10 mg PO HS
4 mg	Livalo	4mg/1 tab PO daily	Atorvastatin (Lipitor)	20mg tab	20mg PO HS
Pravastatin 40 mg	Pravachol	40mg/1 tab PO daily	Atorvastatin (Lipitor)	10mg tab	10 mg PO HS
HMG-CoA reductase Inhibitors					
Atorvastatin (Lipitor) - see below for individual dose substitutions					

80 mg	Pravachol	80mg/1 tab PO daily	Atorvastatin (Lipitor)	20mg tab	20mg PO HS	
Pravastatin 40mg (Pravachol)	Non- HIV	40mg/1 tab PO daily	Atorvastatin	10 mg	10mg PO HS	
	Patient on ART Tx	40mg/1 tab PO daily	NO SUBSTITUTION Continue as prescribe	20mg tab	continue as prescribed	
Pravastatin 80mg (Pravachol)	Non- HIV	80mg/1 tab PO daily	Atorvastatin	20 mg	20mg PO HS	
	Patient on ART Tx	80mg/1 tab PO daily	NO SUBSTITUTION Continue as prescribe	20mg tab	continue as prescribed	
Rosuvastatin 5 mg	Crestor	5mg/1 Tab PO daily	Atorvastatin (Lipitor)	20mg tab	20mg PO HS	
10 mg	Crestor	10mg/1 tab PO daily	Atorvastatin (Lipitor)	40mg tab	40 mg PO HS	
20 mg	Crestor	20mg/1 tab PO daily	Atorvastatin (Lipitor)	40mg tab	80mg/2tab PO HS	
40 mg	Crestor	40mg/1 tab PO daily	Atorvastatin (Lipitor)	40mg tab		
Simvastatin 5 mg	Zocor	5mg/1 Tab PO daily	Atorvastatin (Lipitor)	Non-formulary (Patient Own Med process)		
10mg	Zocor	10mg/1 tab PO daily	NO SUBSTITUTION Continue as prescribe	5mg/1 Tab	continue as prescribed	
20 mg	Zocor	20mg/1 tab PO daily	NO SUBSTITUTION Continue as prescribe	10mg/1 Tab	continue as prescribed	
40 mg	Zocor	40mg/1 tab PO daily	Atorvastatin (Lipitor)	10mg tab	10 mg PO HS	
80 mg	Zocor	80mg/1 tab PO daily	Atorvastatin (Lipitor)	20mg tab	20mg PO HS	
EZETIMIBE-SIMVASTATIN	Vytorin	10-10mg/1Tab	Atorvastatin (Lipitor)	40mg tab	40 mg PO HS	
	Vytorin	10-20mg/1Tab	Ezetimibe	10 mg	10mg/1tab PO HS with Simvastatin	
EZETIMIBE-SIMVASTATIN	Vytorin	10-40mg/1Tab	Simvastatin	10mg	10mg/1tab PO HS with ezetimibe	
	Vytorin	10-40mg/1Tab	Ezetimibe	10 mg	10mg/1tab PO HS with Atorvastatin	
EZETIMIBE-SIMVASTATIN	Vytorin	10-80mg/1Tab	Atorvastatin	10 mg	10mg/1tab PO HS with ezetimibe	
	Vytorin	10-80mg/1Tab	Ezetimibe	20 mg	20mg/1tab PO HS with Atorvastatin	
ACE INHIBITORS: ALL	Vytorin	10-80mg/1Tab	Ezetimibe	10 mg	10mg/1tab PO HS with Atorvastatin	
	Vytorin	10-80mg/1Tab	Atorvastatin	40 mg	40mg/1tab PO HS with ezetimibe	
ACE Inhibitors	Lisinopril - see below for individual dose substitutions					
	Benazepril	Lotensin	5mg/1 Tab PO daily	Lisinopril tab	5mg/1 Tab	5mg/1 tab PO daily
	Benazepril	Lotensin	10mg/1tab PO daily	Lisinopril tab	10mg/1 Tab	10mg/1 tab PO daily
	Benazepril	Lotensin	20mg/1 Tab PO daily	Lisinopril tab	20mg/1 Tab	20mg/1 tab PO daily
	Benazepril	Lotensin	40mg/1 Tab PO daily	Lisinopril tab	40mg/1 Tab	40mg/1 tab PO daily
	Benazepril	Lotensin	80mg/1 Tab PO daily	Lisinopril tab	40mg/1 Tab	40mg/1 tab PO BID
	Benazepril	Lotensin	6.25mg/1 Tab PO TID	Lisinopril tab	40mg/1 Tab	40mg/1 tab PO daily
	Captopril	Captopril		Lisinopril tab	5mg/1 Tab	5mg/1 tab PO daily

antihyperlipidemic combinations

Captopril	Captopril	12.5mg/1 Tab PO TID	Lisinopril tab	10mg/1 Tab	10mg/1 tab PO daily
Captopril	Captopril	25mg/1 Tab PO TID	Lisinopril tab	20mg/1 Tab	20mg/1 tab PO daily
Captopril	Captopril	37.5mg/1 Tab PO TID	Lisinopril tab	20mg/1 Tab	20mg/1 tab PO daily
Captopril	Captopril	50mg/1 Tab PO TID	Lisinopril tab	40mg/1 Tab	40mg/1 tab PO daily
Captopril	Captopril	100mg/1 Tab PO TID	Lisinopril tab	40mg/1 Tab	40mg/1 tab PO BID
Captopril	Captopril	150mg/1 Tab PO TID	Lisinopril tab	40mg/1 Tab	40mg/1 tab PO BID
Enalapril (do not substitute if pediatrics)	Vasotec	2.5mg/1 Tab PO daily	Lisinopril tab	2.5mg/1 Tab	2.5mg/1 tab PO daily
Enalapril (do not substitute if pediatrics)	Vasotec	5mg/1 Tab PO daily	Lisinopril tab	5mg/1 Tab	5mg/1 tab PO daily
Enalapril (do not substitute if pediatrics)	Vasotec	10mg/1 Tab PO daily	Lisinopril tab	10mg/1 Tab	10mg/1 tab PO daily
Enalapril (do not substitute if pediatrics)	Vasotec	20mg/1 Tab PO daily	Lisinopril tab	20mg/1 Tab	20mg/1 tab PO daily
Enalapril (do not substitute if pediatrics)	Vasotec	20mg/1 Tab PO BID	Lisinopril tab	40mg/1 Tab	40mg/1 tab PO daily
Fosinopril	Fosinopril	5mg/1 Tab PO daily	Lisinopril tab	5mg/1 Tab	5mg/1 tab PO daily
Fosinopril	Fosinopril	10mg/1 Tab PO daily	Lisinopril tab	10mg/1 Tab	10mg/1 tab PO daily
Fosinopril	Fosinopril	20mg/1 Tab PO daily	Lisinopril tab	20mg/1 Tab	20mg/1 tab PO daily
Fosinopril	Fosinopril	40mg/1 Tab PO daily	Lisinopril tab	40mg/1 Tab	40mg/1 tab PO daily
Fosinopril	Fosinopril	80mg/1 Tab PO daily	Lisinopril tab	40mg/1 Tab	40mg/1 tab PO BID
Moexipril	Moexipril	3.75mg/1 Tab PO daily	Lisinopril tab	5mg/1 Tab	5mg/1 tab PO daily
Moexipril	Moexipril	7.5mg/1 Tab PO daily	Lisinopril tab	10mg/1 Tab	10mg/1 tab PO daily
Moexipril	Moexipril	15mg/1 Tab PO daily	Lisinopril tab	20mg/1 Tab	20mg/1 tab PO daily
Moexipril	Moexipril	30mg/1 Tab PO daily	Lisinopril tab	40mg/1 Tab	40mg/1 tab PO daily
Moexipril	Moexipril	60mg/1 Tab PO daily	Lisinopril tab	40mg/1 Tab	40mg/1 tab PO BID
Quinapril	Accupril	5mg/1 Tab PO daily	Lisinopril tab	5mg/1 Tab	5mg/1 tab PO daily
Quinapril	Accupril	10mg/1 Tab PO daily	Lisinopril tab	10mg/1 Tab	10mg/1 tab PO daily
Quinapril	Accupril	20mg/1 Tab PO daily	Lisinopril tab	20mg/1 Tab	20mg/1 tab PO daily
Quinapril	Accupril	40mg/1 Tab PO daily	Lisinopril tab	40mg/1 Tab	40mg/1 tab PO daily
Ramipril	Aftace	1.25mg/1 Tab PO daily	Lisinopril tab	5mg/1 Tab	5mg/1 tab PO daily
Ramipril	Aftace	2.5mg/1 Tab PO daily	Lisinopril tab	10mg/1 Tab	10mg/1 tab PO daily

		Altace	5mg/1 Tab PO daily	Lisinopril tab	20mg/1 Tab	20mg/1 tab PO daily
Ramipril	Altace		10mg/1 Tab PO daily	Lisinopril tab	40mg/1 Tab	40mg/1 tab PO daily
Trandolapril	Mavik		1mg/1 Tab PO daily	Lisinopril tab	5mg/1 Tab	5mg/1 tab PO daily
Trandolapril	Mavik		2mg/1 Tab PO daily	Lisinopril tab	10mg/1 Tab	10mg/1 tab PO daily
Trandolapril	Mavik		4mg/1 Tab PO daily	Lisinopril tab	20mg/1 Tab	20mg/1 tab PO daily
Angiotensin Receptor Blockers (ARB): ALL EXCEPT VALSARTAN						
<i>Angiotensin Receptor Blockers (ARBs)</i>						
Azilsartan	Edarbi		40mg/1 Tab PO daily	Losartan (Cozaar)	100mg/1 Tab	100mg/1 tab PO daily
Azilsartan	Edarbi		80mg/1 Tab PO daily	Losartan (Cozaar)	150 mg/day (three 50 mg tab)	150mg/3tab PO daily
Candesartan	Atacand		4mg/1 Tab PO daily	Losartan (Cozaar)	12.5mg/day (½ of 25mg tab)	12.5mg/0.5 tab PO daily
Candesartan	Atacand		8mg/1 Tab PO daily	Losartan (Cozaar)	25mg/1 Tab	25mg/1 tab PO daily
Candesartan	Atacand		16mg/1 Tab PO daily	Losartan (Cozaar)	50mg/1 Tab	50mg/1 tab PO daily
Candesartan	Atacand		32mg/1 Tab PO daily	Losartan (Cozaar)	100mg/1 Tab	100mg/1 tab PO daily
Eprosartan	Teveten		400mg/1 Tab PO daily	Losartan (Cozaar)	25mg/1 Tab	25mg/1 tab PO daily
Eprosartan	Teveten		800mg/1 Tab PO daily	Losartan (Cozaar)	50mg/1 Tab	50mg/1 tab PO daily
Irbesartan	Avapro		75mg/1 Tab PO daily	Losartan (Cozaar)	25mg/1 Tab	25mg/1 tab PO daily
Irbesartan	Avapro		150mg/1 Tab PO daily	Losartan (Cozaar)	50mg/1 Tab	50mg/1 tab PO daily
Irbesartan	Avapro		300mg/1 Tab PO daily	Losartan (Cozaar)	100mg/1 Tab	100mg/1 tab PO daily
Olmesartan	Benicar		5mg/1 Tab PO daily	Losartan (Cozaar)	12.5mg/day (½ of 25mg tab)	12.5mg/0.5 tab PO daily
Olmesartan	Benicar		10mg/1 Tab PO daily	Losartan (Cozaar)	25mg/1 Tab	25mg/1 tab PO daily
Olmesartan	Benicar		20mg/1 Tab PO daily	Losartan (Cozaar)	50mg/1 Tab	50mg/1 tab PO daily
Olmesartan	Benicar		40mg/1 Tab PO daily	Losartan (Cozaar)	100mg/1 Tab	100mg/1 tab PO daily
Telmisartan	Micardis		20mg/1 Tab PO daily	Losartan (Cozaar)	25mg/1 Tab	25mg/1 tab PO daily
Telmisartan	Micardis		40mg/1 Tab PO daily	Losartan (Cozaar)	50mg/1 Tab	50mg/1 tab PO daily
Telmisartan	Micardis		80mg/1 Tab PO daily	Losartan (Cozaar)	100mg/1 Tab	100mg/1 tab PO daily
Valsartan				Remains on formulary – no changes		
CARVEDILOL CR	Coreg CR		10mg/1Cap PO daily	CARVEDILOL	3.125mg/1Tab	3.125mg/1Tab PO BID
CARVEDILOL CR	Coreg CR		20mg/1Cap PO daily	CARVEDILOL	6.25mg/1Tab	6.25mg/1Tab PO BID

beta-blocker (nonselective)

Ca++ channel blocker	CARVEDILOL CR	Coreg CR	40mg/1Cap PO daily	CARVEDILOL	12.5mg/1Tab	12.5mg/1Tab PO BID
	CARVEDILOL CR	Coreg CR	80mg/1Cap PO daily	CARVEDILOL	25mg/1Tab	25mg/1Tab PO BID
	FELODIPINE ER	Plendil	2.5mg/1 Tab PO daily	Amlodipine Tab	2.5 mg/1 Tab	2.5mg/1tab PO daily
	FELODIPINE ER	Plendil	5mg/1 Tab PO daily	Amlodipine Tab	5mg/1 Tab	5mg/1 tab PO daily
	FELODIPINE ER	Plendil	10 mg/1 Tab PO daily	Amlodipine Tab	10mg/1 Tab	10mg/1 tab PO daily
	Dalteparin 2500 units or 5000 units SC Once Daily	Fragmin	2500units or 5000 units SC once daily	Heparin subcutaneous		5000 unit SQ every 8 hours
	Enoxaparin Therapeutic doses (lovenox)					
	New Dose					
	Syringe Size to dispense					
	Prescribed dose range					
	25-34 mg				30 mg	
	35-44 mg				40 mg	
	45-54 mg				60 mg	
	55-64 mg				60 mg	
	65-74 mg				80 mg	
	75-84 mg				80 mg	
	85-94 mg				100 mg	
	95-104 mg				100 mg	
	105-114 mg				120 mg	
	115-124 mg				120 mg	
	125-134 mg				150 mg	
	135-144 mg				150 mg	
	145-154 mg				150 mg	
	Gastrointestinal/GU					
	Probiotic (any non-stocked brand)	any non stock brand	any dose	Lactobacillus	stocked brand	same # of caplets and frequency
	Docusate/Senna Cap	Peri-Colace	50mg/8.6mg per cap	Docusate cap + senna tablet (individual products)	individual products	Docusate 100mg cap + Senna 8.6mg cap
	Polyethylene Glycol and Bisacodyl	Halflytely		Bisacodyl + Colyte (individual products)	individual products	Bisacodyl 20mg PO x 1 followed by 2000ml Colyte at same instructions
	Hyoscyamine ER tab	Levbid (ER)	0.375 mg/1 tab Q12HR	Hyoscyamine SL (Levsin)	0.125mg SL tab	0.125mg/1 tab SL every 4 hours
	Hyoscyamine ER tab	Levbid (ER)	0.75 mg/1 tab Q12HR	Hyoscyamine SL (Levsin)	(?) 0.125mg SL tab	0.25mg/2 tab SL every 4 hours
	Antiemetics: Serotonin (5HT3) Receptor Antagonists : ALL					
	Zofran (ondansetron)/Anzemet (dolasetron) IV all doses and frequencies (except one-time orders)			Zofran (ondansetron) 4mg IV prn at same schedule		
	Dolasetron	Anzemet	12.5mg IV	Ondansetron		4mg IV
	5HT3 receptor antagonists					

	Anzemet	100mg PO prior to chemo 100mg PO prior to surgery	Ondansetron (Keep Dolasetron for pediatrics age 2-16)	24mg PO (ODT tab)	24mg/3 ODT tab oral prior to surgery
Dolasetron	Anzemet	100mg PO prior to surgery	Ondansetron (Keep Dolasetron for pediatrics age 2-16)	8mg ODT Tab	16mg/2 ODT tab prior to anesthesia
Granisetron	Kytril	0.1 to 1 mg IV	Ondansetron	4mg IV	4mg IV
Granisetron	Kytril	2 mg IV	Ondansetron	24mg IV	24 mg IV
Granisetron	Kytril	32mg IV	Ondansetron	24mg IV	24mg IV prior to Chemo
Granisetron	Kytril	1mg PO	Ondansetron	4mg ODT tab	12mg/3 ODT tab
Granisetron	Kytril	2mg PO	Ondansetron	8mg ODT Tab	24mg/ 3 ODT tab
Almotriptan	Axert	6.25 mg	Sumatriptan	25 mg	25mg / 1 tab at onset of migraine
Almotriptan	Axert	12.5 mg	Sumatriptan	50 mg	50mg/ 1 tab at onset of migraine
Eletriptan	Relpax	20 mg	Rizatriptan	5 mg MLT	5 mg MLT at onset of migraine
Eletriptan	Relpax	40 mg	Rizatriptan	10 mg MLT	10mg MLT at onset of migraine
Frovatriptan	Frova	2.5 mg	Sumatriptan	50 mg	50mg/ 1 tab at onset of migraine
Naratriptan	Anerge	1 mg	Sumatriptan	50 mg	50mg/ 1 tab at onset of migraine
Naratriptan	Anerge	2.5mg	Sumatriptan	50 mg	50mg/ 1 tab at onset of migraine
Rizatriptan	Maxalt	5 mg	Sumatriptain (Use MLT for children ages 6-17) ATS if age >18yrs	25 mg	25mg / 1 tab at onset of migraine
Rizatriptan	Maxalt	10 mg	Sumatriptain (Use MLT for children ages 6-17) ATS if age >18yrs	50 mg	50mg/ 1 tab at onset of migraine
Rizatriptan	Maxalt MLT	5 mg MLT	No substitution	Use as prescribed	Use as prescribed
Rizatriptan	Maxalt MLT	10 mg MLT	No substitution	Use as prescribed	Use as prescribed
Sumatriptan /Naproxen	85mg/500mg	85mg/500mg	Sumatriptan	50 mg	(1) sumatriptan 50 mg tab + (1) 500 mg tab Naproxen at onset of Headache
Zolmitriptan	Zomig	2.5 mg	Naproxen	500 mg	Use in single dose at onset of Headache. Repeat after 2 hours if headache returns.
Zolmitriptan	Zomig	5 mg	Sumatriptan	25 mg	Use in single dose at onset of Headache. Repeat after 2 hours if headache returns.
H2 Receptor Antagonists (H2RA): ALL			FAMOTIDINE - see below for individual dose substitutions		
Cimetidine	Tagamet	300mg PO every 6 hrs	famotidine (Pepcid)	20mg tab	20mg PO every 12 hrs
Cimetidine	Tagamet	400mg PO daily	famotidine (Pepcid)	20mg tab	20mg PO daily
Cimetidine	Tagamet	400mg PO every 12 hrs	famotidine (Pepcid)	20mg tab	20mg PO every 12 hrs
Cimetidine	Tagamet	800mg PO once/every 24 hrs	famotidine (Pepcid)	(2) 20mg tab	40mg/2tab PO once/every 24 hrs
Cimetidine	Tagamet	300 mg IV every 6 hrs	famotidine (Pepcid)	20mg inj	20mg IV every 12 hrs

Antimigraine agents

H2 Receptor Antagonist

Cimetidine	Tagamet	300mg IV every 8 hrs	famotidine (Pepcid)	20mg inj	20mg IV every 12 hrs
Ranitidine	Zantac	150mg PO daily	famotidine (Pepcid)	20mg tab	20mg PO daily
Ranitidine	Zantac	150mg PO every 12 hrs	famotidine (Pepcid)	20mg tab	20mg PO every 12 hrs
Ranitidine	Zantac	300mg PO daily	famotidine (Pepcid)	(2) 20mg tab	40mg/2tab PO daily
Ranitidine	Zantac	50mg IV every 8/12 hrs	famotidine (Pepcid)	20mg inj	20mg IV every 12 hrs
Nizatidine	Axid	150mg PO daily	famotidine (Pepcid)	20mg tab	20mg PO daily
Nizatidine	Axid	150mg PO every 12 hrs	famotidine (Pepcid)	20mg tab	20mg PO every 12 hrs
Nizatidine	Axid	300mg PO daily	famotidine (Pepcid)	(2) 20mg tab	40mg/2tab PO daily
Proton Pump Inhibitor (PPI): ALL (except for ICU)					
Pantoprazole is the formulary PPI if the criteria below is met:					
<i>Zollinger-Ellison syndrome</i>					
<i>Peptic ulcer disease</i>					
<i>Acute gastrointestinal bleed or history of gastrointestinal bleed within 12 months</i>					
<i>Receiving moderate to high dose NSAIDs (≥1800mg ibuprofen or equivalent/day)</i>					
<i>Gastroesophageal reflux disease</i>					
<i>Ruptured esophagus</i>					
<i>Helicobacter pylori infection</i>					
<i>Gastritis</i>					
<i>Recent bariatric surgery</i>					
<i>Receiving high dose corticosteroid (≥250mg hydrocortisone or equivalent/day)</i>					
<i>Pancreatitis</i>					
Dexlansoprazole	Dexlansoprazole	30mg PO daily	Pantoprazole (Protonix)	20mg PO daily	
Dexlansoprazole	Dexlansoprazole	60mg PO daily	Pantoprazole (Protonix)	40mg PO daily	
Esomeprazole	Nexium	20mg PO daily	Pantoprazole (Protonix)	40mg PO daily	
Esomeprazole	Nexium	40mg PO daily	Pantoprazole (Protonix)	40mg PO BID	
Esomeprazole	Nexium	40mg IV	Pantoprazole (Protonix)	40mg IV same frequency	
Lansoprazole	Prevacid	15mg PO daily	Pantoprazole (Protonix)	20mg PO daily	
Lansoprazole	Prevacid	15mg PO BID	Pantoprazole (Protonix)	40mg PO daily	
Lansoprazole	Prevacid	30mg PO daily	Pantoprazole (Protonix)	40mg PO daily	
Lansoprazole	Prevacid	30mg PO BID	Pantoprazole (Protonix)	40mg PO BID	
Omeprazole	Prilosec	10mg PO daily	Pantoprazole (Protonix)	20mg PO daily	
Omeprazole	Prilosec	20mg PO daily	Pantoprazole (Protonix)	40mg PO daily	
Omeprazole	Prilosec	20mg PO BID	Pantoprazole (Protonix)	40mg PO BID	
Omeprazole	Prilosec	40mg PO daily	Pantoprazole (Protonix)	40mg PO BID	

Drug Name	Formulation	Dose	Frequency	Indication	Notes	
Respiratory	Rebeprazole	Aciphex	20mg PO daily		Pantoprazole (Protonix)	
	NG/feeding tube or Omeprazole Suspension				Lansoprazole Solutabs	
	Esmeprazole oral granules	Nexium oral granules	20mg G-tube daily		Lansoprazole Solutabs	
	Omeprazole granules	PriLOSEC granules	20mg G-tube daily		Lansoprazole Solutabs	
	Omeprazole granules	PriLOSEC granules	40mg G-tube daily		Lansoprazole Solutabs	
	Creon 5 (Lip/Prot/Amyl: 5,000/18,750/16,600)				Creon 6,000 (Lip/Prot/Amyl: 6,000/19,000/30,000) same frequency	
	Creon 10 (Lip/Prot/Amyl: 10,000/37,500/33,200)				Creon 12,000 (Lip/Prot/Amyl: 12,000/38,000/60,000) same frequency	
	Creon 20 (Lip/Prot/Amyl: 20,000/75,000/66,400)				Creon 24,000 (Lip/Prot/Amyl: 24,000/76,000/120,000) same frequency	
	Megestrol ES	Megace ES	625mg/5ml		Megestrol (Megace)	
	Ursodiol	Urso*	250mg		Ursodiol (Actigall)	
	Ursodiol	Urso Forte*	500mg		Ursodiol (Actigall)	
	Tadalafil	Adcirca	20mg PO daily		Sildenafil citrate (Revatio)	
	Zafirlukast	Accolate	20mg PO BID		Montelukast	
Methylprednisolone IV – doses ≤ 64 mg/day IV to PO steroid conversion				Prednisone ORAL – Equivalent dose (per IV to PO policy)		
Methylprednisolone	Solu-Medrol	4mg IV		Prednisone 5mg PO		
Nasal Steroids	BECLOMETHASONONE 42mcg/1Spray	Beconase AQ	1 to 2 sprays in each nostril twice daily		Fluticasone (Flonase)	
	BUDESONIDE	Rhinocort	1 to 4 sprays in each nostril daily		Fluticasone (Flonase)	
	FLUNISOLIDE NASAL 32mcg/1Spray	Nasalide	2 sprays in each nostril 2 to 3 times daily		Fluticasone (Flonase)	
	FLUTICASONONE fuorate 25mcg/1Spray	Veramyst; Flonase Sensimist	1Spray		Fluticasone (Flonase)	
	MOMETASONONE NASAL SPRAY 50mcg/1Spray	Nasonex	2 sprays in each nostril daily		Fluticasone (Flonase)	
	TRIAMCINOLONE NASAL SPRAY 55mcg/1Spray	Nasacort	1 to 2 sprays in each nostril daily		Fluticasone (Flonase)	
	IPRATROPIUM 0.03% NASAL SPRAY	Atrivent 0.03% Nasal Spray	1 Spray		IPRATROPIUM 0.06% NASAL SPRAY (Atrovent)	
	NORMAL SALINE NOSE DROPS	NORMAL SALINE NOSE DROPS	1 Drop		SODIUM CHLORIDE NASAL 0.65% DROPS (Ayr 0.65% Nasal Spray)	
	SODIUM CHLORIDE NASAL 0.9% SPRAY	Normal Saline 0.9% Spray	1 Spray		SODIUM CHLORIDE NASAL 0.65% SPRAY (Ayr Nasal Spray)	
	PHENYLEPHRINE NASAL 1% DROP	Neo-Synephrine 1% Nasal Drops	1 Drop		PHENYLEPHRINE NASAL 1% SPRAY (Neo-Synephrine 1% Nasal Spray)	
	Nasal Lubrifiants					
Nasal Antihistamines						

PHENYLEPHRINE NASAL 1% SOL	Neo-Synephrine 1% Nasal Drops	1 Drop	PHENYLEPHRINE NASAL 1% SPRAY (Neo-Synephrine 1% Nasal Spray)	1 spray	same dose and frequency
Levalbuterol	Xopenex	0.31 mg	Albuterol	0.63mg same frequency	
Levalbuterol	Xopenex	0.63mg	Albuterol	1.25mg same frequency	
Levalbuterol	Xopenex	1.25mg	Albuterol	2.5mg same frequency	
Levalbuterol HFA-MDI	Xopenex HFA-MDI	prescribed dose	Albuterol HFA (Ventolin)	90mcg/puff	same dose and frequency
Flunisolide 250mcg	Aerobid	2 puffs twice daily	Fluticasone Furoate (Arnuity Ellipta)	100mcg/puff	1 puff daily
Fluticasone propionate 44mcg	Flovent HFA	2 puffs twice daily	Fluticasone Furoate (Arnuity Ellipta)	100mcg/puff	1 puff daily
Fluticasone propionate 110mcg	Flovent HFA	1-2 puffs twice daily	Fluticasone Furoate (Arnuity Ellipta)	100mcg/puff	1 puff daily
Fluticasone propionate 220mcg	Flovent HFA	1 puff twice daily	Fluticasone Furoate (Arnuity Ellipta)	100mcg/puff	1 puff daily
Fluticasone propionate 250mcg	Flovent diskus	1 puff twice daily	Fluticasone Furoate (Arnuity Ellipta)	100mcg/puff	1 puff daily
Budesonide 90mcg	Pulmicort Flexhaler	1-3 puff twice daily	Fluticasone Furoate (Arnuity Ellipta)	100mcg/puff	1 puff daily
Budesonide 180mcg	Pulmicort Flexhaler	up to 8 puffs/day	Fluticasone Furoate (Arnuity Ellipta)	100mcg/puff	1 puff daily
Fluticasone propionate 110mcg	Flovent HFA	3 puffs twice daily	Fluticasone Furoate (Arnuity Ellipta)	200mcg/puff	1 puff daily
Fluticasone propionate 220mcg	Flovent HFA	2 puffs twice daily	Fluticasone Furoate (Arnuity Ellipta)	200mcg/puff	1 puff daily
Fluticasone propionate 250mcg	Flovent diskus	2 puffs twice daily	Fluticasone Furoate (Arnuity Ellipta)	200mcg/puff	1 puff daily
Budesonide 180mcg	Pulmicort Flexhaler	> 8 puffs/day	Fluticasone Furoate (Arnuity Ellipta)	200mcg/puff	1 puff daily
Fluticasone-salmeterol	Advair	100-50	Fluticasone/Vilanterol (Breo 100/25)	100/25	1 puff daily
Fluticasone-salmeterol	Advair	250-50	Fluticasone/Vilanterol (Breo 100/25)	100/25	1 puff daily
Fluticasone-salmeterol	Advair	500-50	Fluticasone/Vilanterol (Breo 200/25)	200/25	1 puff daily
Fluticasone/salmeterol	Advair HFA	45/21	Fluticasone/Vilanterol (Breo 100/25)	100/25	1 puff daily
Fluticasone/salmeterol	Advair HFA	115/21	Fluticasone/Vilanterol (Breo 100/25)	100/25	1 puff daily
Fluticasone/salmeterol	Advair HFA	230/21	Fluticasone/Vilanterol (Breo 200/25)	200/25	1 puff daily
Budesonide/formoterol	Symbicort	80/4.5	Fluticasone/Vilanterol (Breo 100/25)	100/25	1 puff daily
Budesonide/formoterol	Symbicort	160/4.5	Fluticasone/Vilanterol (Breo 100/25)	100/25	1 puff daily
Mometasone/formoterol	Dulera	100/5	Fluticasone/Vilanterol (Breo 100/25)	100/25	1 puff daily
Mometasone/formoterol	Dulera	200/5	Fluticasone/Vilanterol (Breo 200/25)	200/25	1 puff daily
Tiotropium CAP	Spiriva Cap	18mcg	Umeclidinium (Incruse Ellipta)	62.5mcg	1 puff daily
Tiotropium DEVICE	Spiriva DEVICE	-	Umeclidinium (Incruse Ellipta Device)	-	device
Cetirizine	Zyrtec	5mg tab	Loratadine (Claritin)	10mg tab	10mg PO daily
Cetirizine	Zyrtec	10mg tab	Loratadine (Claritin)	10mg tab	10mg PO daily
Cetirizine	Zyrtec	10mg chew tab	Loratadine (Claritin)	5mg/5ml liquid	10mg/10ml PO daily
Desloratadine	Clarinex	5mg tab PO daily	Loratadine (Claritin)	10mg tab	10mg PO daily
Fexofenadine	Allegra	30mg PO BID	Loratadine (Claritin)	10mg tab	10mg PO daily
Fexofenadine	Allegra	60mg PO BID	Loratadine (Claritin)	10mg tab	10mg PO daily
Fexofenadine	Allegra	180mg PO daily	Loratadine (Claritin)	10mg tab	10mg PO daily

Antihistamines

MISCELLANEOUS	Allegra ODT	30mg ODT tab	Loratadine (Claritin)	5mg/5ml liquid	10mg/10ml PO daily
	Fexofenadine ODT				
	Allegra D 12 HR	60mg/120mg PO BID	Loratadine/pseudoephedrine (Claritin D 12 HR)	5mg/120mg	1 TAB PO BID
	Allegra D 24 HR	180mg/120mg PO daily	Loratadine/pseudoephedrine (Claritin D 24 HR)	10mg/240mg	1 TAB PO Daily
	Xyzal	5mg PO daily	Loratidine (Claritin)	10mg tab	10mg PO daily
	Atarax	25mg	Hydroxyzine Pamoate (Vistaril)	25mg cap	25mg cap same frequency
	Atarax	50mg	Hydroxyzine Pamoate (Vistaril)	50mg cap	50mg cap same frequency
MISCELLANEOUS					
<i>Please see separate list for additional items (Nutritionals ATS Sum_April_2014)</i>					
	Neupogen	as prescribed	Filgrastim-SNDZ (Zarxio)	300mcg or 480mcg	same dose/frequency
	Granix	as prescribed	Filgrastim-SNDZ (Zarxio)	300mcg or 480mcg	same dose/frequency
	Humalog	prescribed dose	Insulin Aspart (Novolog)	100unit/ml	same dose/frequency
	Novolin L, N, R	prescribed dose	Insulin L, N, R (Humulin L, N, R)	100unit/ml	same dose/frequency
	Novolin 70/30	prescribed dose	Insulin NPH/Regular Mix (Humulin 70/30)	100unit/ml	same dose/frequency
	Aminosyn or Premasol	prescribed dose	Amino Acids 10% (Travasol)	prescribed dose	TPNs are outsourced to Qualitas
	TPN	any late order	Dextrose + Amino Acid Solution (Clinimix)	same prescribed rate	
	Parenteral Nutrition (Adults)		Darbeopetin non dialysis	Aranesp non dialysis	
	Epoetin alfa non-dialysis	Procrit Non-dialysis	Non-dialysis	60mcg SubQ/IV	
	Non-dialysis	20,000 units SubQ/IV	Non-dialysis	100mcg SubQ/IV	
	Non-dialysis	40,000 units SubQ/IV	Non-dialysis	150mcg SubQ/IV	
	Non-dialysis	60,000 units SubQ/IV			
	Note: Odd doses are converted to the proportionately equivalent dose and rounded up to the nearest vial/syringe size. BIW or TIW doses are summed and rounded to the nearest 20,000 units and then substituted as listed.				
	Epoetin alfa - RENAL with or without DIALYSIS	Procrit RENAL - with or without Dialysis	Aranesp RENAL - with or without dialysis		
	WEEKLY DOSE SUM		WEEKLY DOSE OF ARANESP RENAL		
	5,000 to 10,999 SubQ/IV WEEKLY SUM		25mcg SubQ/IV weekly		
	11,000 to 17,999 SubQ/IV WEEKLY SUM		40mcg SubQ/IV weekly		
	18,000 to 33,999 SubQ/IV WEEKLY SUM		60mcg SubQ/IV weekly		
	34,000 to 89,999 SubQ/IV WEEKLY SUM		100mcg SubQ/IV weekly		
	≥ 90,000 SubQ/IV WEEKLY SUM		200mcg SubQ/IV weekly		
	Rho(D) Immune Globulin	RhoGam	Rho(D) Immune Globulin	Rhophylac	same dose/frequency
smoking cessation	Nicotine Lozenge	Nicorette Lozenge	Nicotine Gum (Nicorette Gum)	2mg/1Each	2mg/1 each chewed as prescribed
smoking cessation	Nicotine Lozenge	Nicorette Lozenge	Nicotine Gum (Nicorette Gum)	4mg/1Each	4mg/1 each chewed as prescribed
SUPPLEMENTS					
	Alendronate	Fosamax	Alendronate (Fosamax)	35 mg tab	35mg/1 tab PO weekly on same day
Bisphosphonate	Alendronate	Fosamax	Alendronate (Fosamax)	70mg tab	70mg/1 tab PO weekly on same day

ibandronate	Boniva	150mg monthly	Alendronate (Fosamax)	70mg tab	70mg/1 tab PO weekly on same day
Risedronate	Actonel	5mg PO daily	Alendronate (Fosamax)	5mg tab	5mg/1tab PO daily
Risedronate - PREVENTION	Actonel	35mg	Alendronate (Fosamax)	35mg tab	35mg/1 tab PO weekly on same day
Risedronate - TREATMENT	Actonel	35mg	Alendronate (Fosamax)	70mg tab	70mg/1 tab PO weekly on same day
Calcium Carbonate	Caltrate	600	Calcium carbonate Carbonate	500mg tab	500mg/1tab same frequency
Calcium Carbonate with Vitamin D	Caltrate D	600/125	Calcium carbonate plus vitamin D	250mg-125 units	500mg-250 units (2 tabs)
Calcium chloride 5 mEq/ 100 mL DSW PREMIX	Calcium supplement	5 mEq	CALCIUM CHLORIDE 20 MG/ML DSW IV	20 mg/ml	400mg
CALCIUM-VIT D 600MG-400 UNITS TAB	Calcium/Vit D supplement	1 Tab	CALCIUM-VIT D 250MG-125 UNITS TAB	250mg-125 units	500mg-250 units (2 tabs)
FOLIC ACID TAB	vitaming B9 supplement	0.8 mg	Folic acid tablet	1 mg	1mg PO
FOLIC ACID TAB	vitaming B9 supplement	0.4 mg	Folic acid tablet	1 mg	1mg
DOCUSATE-FERROUS FUMARATE TAB	iron supplement + stool softener	1 Tab	Docusate 100mg plus ferrous sulfate	32.5mg	100mg + 32.5mg
FERROUS SULFATE	iron supplement	45 mg	Ferrous sulfate	32.5 mg	32.5mg PO same frequency
FERROUS SULFATE LIQ	iron supplement	220 mg	Ferrous sulfate liq	300 mg/5 ml	300mg PO same frequency
FERROUS SULFATE TAB	iron supplement	160 mg	Ferrous sulfate	32.5mg tab	32.5mg PO same frequency
IRON DEXTRAN INJ	iron supplement	100 mg	Iron sucrose injection (Venofer)	100mg	100mg same dose/frequency
IRON POLYSACCHARIDE CAP	iron supplement	60 mg	IRON POLYSACCHARIDE CAP	150 mg	150 mg
IRON POLYSACCHARIDE ELUXIR	iron supplement	100 mg	Ferrous sulfate liq	300 mg/5 ml	300mg PO same frequency
Iron Sucrose (prescribed in OPI)	Venofer	200mg or less IVPB	Iron Sucrose (prescribed in OPI)	Same prescribed dose	administer via IV Push
Iron Tablet	iron supplement	as prescribed	Ferrous sulfate	32.5mg same frequency	
SODIUM FERRIC GLUCONATE COMPLEX INJ	iron supplement	12.5 mg	Iron sucrose injection	20 mg/ml	100mg same dose/frequency
MAGNESIUM GLUCONATE TAB	magnesium supplement	500 mg	Magnesium gluc liquid	1000 mg/5 ml	500mg (2.5mL)
MAGNESIUM OXIDE TAB	magnesium supplement	500 mg	Magnesium oxide tab	400 mg	400 mg
MULTI VIT FOLIC ACID IRON TAB	multivitamin	1 Tab	MULTIVITAMIN THERAPEUTIC TAB		1 Tab
MULTIVITAMIN	multivitamin	1 Cap	MULTIVITAMIN THERAPEUTIC TAB		1 Tab
MULTIVITAMIN DROPS(Tri-Vi-Sol)	multivitamin	1 mL	MULTIVITAMIN DROPS	Poly-vi-sol	1mL
MULTIVITAMIN MINERALS W IRON TAB	multivitamin	1 Tab	Multivitamin Therap with minerals		1 Tab
MULTIVITAMIN PED LIQUID	multivitamin	5 mL	MULTIVITAMIN DROPS	Poly-vi-sol	1mL
MULTIVITAMIN TAB	multivitamin	1 Tab	MULTIVITAMIN THERAPEUTIC TAB		1 Tab
MULTIVITAMIN W FLUORIDE CHEW	multivitamin	1 Tab	MULTIVITAMIN W FLUORIDE CHEW	1 Tab	
MULTIVITAMIN W FLUORIDE LIQ	multivitamin	1 mL	MULTIVITAMIN W FLUORIDE LIQ	1 mL	
MULTIVITAMIN W IRON & FLUORIDE CHEW	multivitamin	1 Tab	MULTIVITAMIN W FLUORIDE CHEW	1 Tab	

Calcium supplement

folate supplement

iron supplement

magnesium supplement

multivitamin

Product Name	Strength	Quantity	Form	Notes	Quantity	Form
MULTIVITAMIN W/ IRON & FLUORIDE CHEW TAB	multivitamin	1 Tab	MULTIVITAMIN W/ IRON & FLUORIDE CHEW		1 Tab	
MULTIVITAMIN W/ IRON & FLUORIDE DROPS	multivitamin	1 mL	MULTIVITAMIN W/ FLUORIDE LIQ		1 mL	
MULTIVITAMIN W/ IRON & FLUORIDE LIQ	multivitamin	1 mL	MULTIVITAMIN W/ FLUORIDE LIQ		1 mL	
MULTIVITAMIN W/ IRON CHEW TAB	multivitamin	1 Tab	Multivitamin liquid		MVI liquid	5 ml (or 15ml depending on stocked Brand)
MULTIVITAMIN W/ MINERALS CHEW TAB	multivitamin	1 Tab	MULTIVITAMIN LIQUID WITH MINERALS		5ml	
MULTIVITAMIN WITH FLUORIDE	multivitamin	0.25 mg	MULTIVITAMIN W/ FLUORIDE CHEW		1 Tab	
MULTIVITAMIN WITH IRON TAB	multivitamin	1 Tab	MULTIVITAMIN THERAPEUTIC TAB		1 Tab	
MULTIVITAMIN WITH MINERALS TAB	multivitamin	1 Tab	MULTIVITAMIN THERAPEUTIC TABLET WITH MINERALS		1 Tab	
MULTIVITAMIN, PRENATAL W/IRON TAB	multivitamin	1 Tab	Multivitamin, prenatal tab		1 Tab	
Multivitamins	Any Brand	as prescribed	Multivitamin stocked brand		1 tab	same dose/frequency
Multivitamins with minerals	Any Brand	as prescribed	Multivitamins with minerals stocked brand		1 tab	same dose/frequency
POLY-VIT PEDI DROPS	multivitamin	1 mL	MULTIVITAMIN DROPS		Poly-vi-sol	1mL
VIT IRON FLUORIDE ORAL LIQ	multivitamin	0.5 mg	Multivitamin pediatric drops		1 Drop	
MULTIVITAMIN WITH IRON TAB	Chromagen	1 Tab	Vitamin B complex tab		1 Tab	Vitamin B complex
NEPHRO-VIT B& C TAB	vitamin - renal	1 Tab	VIT B COMPLEX W/C & FOLIC CAP		1 Cap	Nephrocaps
VIT B COMPLEX W/ FOLIC ACID TAB	FOLTX	1 Tab	VIT B COMPLEX W/C & FOLIC CAP		1 Cap	Nephrocaps
VIT B COMPLEX W/C & FOLIC TAB	NephroTabs	1 Tab	VIT B COMPLEX W/C & FOLIC CAP		1 Cap	Nephrocaps
VIT B COMPLEX W/C TAB	Berocca	1 Tab	VIT B COMPLEX W/C & FOLIC CAP		1 Cap	Nephrocaps
VIT B COMPLEX W/C/FOLIC/ZINC TAB	Renex	1 Tab	VIT B COMPLEX W/C & FOLIC CAP		1 Cap	Nephrocaps
VIT B COMPLEX W/IRON/INTRINSIC CAP	Trinsic	1 Cap	Vitamin B complex tab		1 Tab	Vitamin B complex
LANTHANUM CARBONATE TAB	phosphate binder	1,000 mg	LANTHANUM CARBONATE CHEW TAB		500 mg	1000 mg (2 tabs)
LANTHANUM CARBONATE TAB	phosphate binder	750 mg	LANTHANUM CARBONATE CHEW TAB		500 mg + 250 mg	750 mg (1 tab of each)
Sevelmer HCL tablets	Renagel 800mg tab	800mg/1 tab	Sevelamer carboante (RENVELA)		800mg/1tab	800mg/1tab same dose and frequency
POTASSIUM CHLORIDE	potassium supplement	20 mEq	POTASSIUM CHLORIDE LIQUID		20 mEq/15 ml	20 mEq
POTASSIUM CHLORIDE INJ PREMIX	potassium supplement	40 mEq	POTASSIUM CHLORIDE INJ PREMIX		20 mEq/100 ml	40 mEq (2 doses)
POTASSIUM CHLORIDE INJ PREMIX	potassium supplement	30 mEq	POTASSIUM CHLORIDE INJ PREMIX		20 mEq/100 ml + 10mEq/100 ml	30 mEq (1 dose of each)
POTASSIUM CHLORIDE ER TAB	potassium supplement	8 mEq	Potassium chloride tab		10 mEq	10 mEq
POTASSIUM CHLORIDE INJ	potassium supplement	30 mEq	POTASSIUM CHLORIDE INJECTION 20MEQ/10ML + POTASSIUM CHLORIDE 10MEQ/5ML		2MEQ/ML	30MEQ (1 dose of each)
POTASSIUM CHLORIDE ORAL SYRINGE	potassium supplement	(blank)	POTASSIUM CHLORIDE LIQUID		40 mEq/30ml (1.33mEq/ml)	(blank)
POTASSIUM CHLORIDE PWDR PKT	potassium supplement	25 mEq	POTASSIUM CHLORIDE LIQUID		2MEQ/ML	20MEQ
SODIUM CHLORIDE 0.9% INJ	sodium chloride	20 mL	SODIUM CHLORIDE 0.9% INJ		0.90%	25ml

multivitamin renal

phosphate binder

April 2017

potassium supplement

sodium chloride

	CYANOCOBALAMIN MDV INJ	Vitamin B12 supplement	1,000 mcg	CYANOCOBALAMIN MDV INJ	1000mcg	1 mL
	CYANOCOBALAMIN TAB	Vitamin B12 supplement	1,000 mcg	Cyanocobalamin tab	500mcg	1000 mcg (2 Tab)
	NIACIN 250 MG TAB	vitamin B3 supplement	250 mg	Niacin tab	100 mg	200mg (2 tabs)
	NIACIN ER TAB	vitamin B3 supplement	750 mg	Niacin ER tab	250 mg + 500 mg	750mg (1 tab of each)
	NIACIN SR	vitamin B3 supplement	250 mg	Niacin ER tab	250 mg	250mg
	NIACIN SR	vitamin B3 supplement	500 mg	Niacin ER tab	500 mg	500mg
	NIACIN TAB	vitamin B3 supplement	50 mg	Niacin tab	100 mg	100 mg
	NIACIN TAB	vitamin B3 supplement	500 mg	Niacin tab	100 mg	500mg (5 tabs)
	PYRIDOXINE TAB	vitamin B6 supplement	100 mg	Pyridoxine tab	50 mg	100mg (2 Tab)
	PYRIDOXINE TAB	vitamin B6 supplement	25 mg	Pyridoxine tab	50 mg	50mg
	THIAMINE TAB	vitamin B1 supplement	50 mg	Thiamine tab	100 mg	100mg
	VIT B COMPLEX CAP	Vitamin B supplement	1 Cap	VITAMIN B COMPLEX TABLETS	Vitamin B complex	1 Tab
Vitamin C supplement	ASCORBIC ACID TAB	Vitamin C supplement	250 mg	Ascorbic acid tablet	500mg tab	500mg same frequency
	CALCITRIOL CAP	Vitamin D supplement	0.5 mcg	CALCITRIOL CAP	0.25mcg cap	0.5 mcg (2 Caps)
	ERGOCALCIFEROL (VITAMIN D2) CAP	Vitamin D supplement	50,000 Unit	CHOLECALCIFEROL (D3) Cap	50,000 units	50,000 units
	ERGOCALCIFEROL (VITAMIN D2) CAP	Vitamin D supplement	400 Unit	CHOLECALCIFEROL (D3) TAB	400 Intl units	400 units
	PARICALCITOL CAP	Vitamin D supplement	2 mcg	Paricalcitol cap	1 mcg	2mcg (2 Caps)
	PARICALCITOL CAP	Vitamin D supplement	4 mcg	Paricalcitol cap	1 mcg	4mcg (4 cap)
zinc supplement	ZINC GLUCONATE TAB	zinc supplement	50 mg	ZINC SULFATE CAP	220mg	220mg
TOPICALS						
Ophthalmic Agents						
<i>anti-infectives</i>	Gatifloxacin 0.5% ophthalmic solution	Zymar	0.5%/drop as prescribed	Ciprofloxacin 0.3% ophthalmic solution (Ciloxan)	0.3%/drop	as prescribed
	Levofloxacin 0.5% ophthalmic solution	generic	0.5%/drop as prescribed	Ciprofloxacin 0.3% ophthalmic solution (Ciloxan)	0.3%/drop	as prescribed
	Moxifloxacin 0.5% ophthalmic solution	Vigamox	0.5%/drop as prescribed	Ciprofloxacin 0.3% ophthalmic solution (Ciloxan)	0.3%/drop	as prescribed
	Ofloxacin 0.3% ophthalmic solution	Ocufoxx	0.3%/drop as prescribed	Ciprofloxacin 0.3% ophthalmic solution (Ciloxan)	0.3%/drop	as prescribed
<i>glaucoma agents</i>	APRACLONIDINE 0.5% OPHTHI SOL	Iodipine 0.5% Opth	1 to 2 drops 3 times/day	APRACLONIDINE 1% OPHTHI SOL	Iodipine 1% Opth	1 drop 1 hr prior to surgery and 1 drop after
	Betaxolol solution (generic)	generic	0.5%/drop One-two drops twice daily into affected	Timolol solution (generic / Timoptic)	0.5%/drop (generic)	one-two drops twice daily into affected eyes (keep prescribed drop number the same)

		eye(s)				
Betaxolol suspension (Betoptic S)	Betoptic S	0.25%/drop one drop twice daily into affected eye(s)	Timolol solution (generic / Timoptic)	0.25% (generic)	one drop twice daily into affected eye(s)	
Bimatoprost solution (Lumigan)	Lumigan	0.01%/drop one drop once daily (in the evening) into affected eye(s)	Latanoprost solution (Xalatan generic)	0.005%/drop	one drop once daily (in the evening) in affected eye(s)	
BRIMONIDINE 0.1% OPHTH SOL	Alphagan-P 0.1%	1 Drop as prescribed	BRIMONIDINE 0.2% OPHTH SOL	Alphagan-P 0.15%	1 Drop	
BRIMONIDINE 0.15% OPHTH SOL	Alphagan-P 0.2%	1 Drop as prescribed	BRIMONIDINE 0.2% OPHTH SOL	Alphagan-P 0.15%	1 Drop	
BRIMONIDINE-TIMOLOL OPHTH SOL	Combigan	1 Drop as prescribed	BRIMONIDINE 0.2% OPHTH SOL and Timolol ophthalmic 0.5% sol	Alphagan-P 0.2% and Timoptic 0.5% oph sol	1 Drop	
Brinzolamide solution (Azopt)	Azopt	1%/drop one drop 3 times/day in affected eye(s)	Dorzolamide (Trusopt generic)	2%/drop	one drop 3 times daily in affected eye(s)	
Carteolol solution (generic)	generic	1%/drop one drop twice daily in affected eye(s)	Timolol solution (generic / Timoptic)	0.25%/drop	one drop twice daily into affected eye(s)	
Levobunolol solution (generic)	generic	0.3%/drop one-two drops twice daily into affected eye(s)	Timolol solution (generic / Timoptic)	0.25%/drop	one drop twice daily into affected eye(s)	
Levobunolol solution (betagan generic)	Betagan	0.5%/drop one-two drops once daily or twice daily into affected eye(s)	Timolol solution (generic / Timoptic)	0.5%/drop	one-two drops twice daily into affected eyes (keep prescribed drop number the same)	
Metipranolol solution (OptiPranolol)	OptiPranolol	0.3%/drop one drop twice daily into affected eye(s)	Timolol solution (generic / Timoptic)	0.25%/drop	one drop twice daily into affected eye(s)	
PILOCARPINE 0.5% OPHTH SOL	Isopto-Carpine 0.5% Oph Sol	1 Drop as prescribed	PILOCARPINE 1% OPHTH SOL	Isopto-Carpine 1% Oph Sol	1 Drop--adjust frequency as needed	
PILOCARPINE 3% OPHTH SOL	Isopto-Carpine 3% Oph Sol	1 Drop as prescribed	PILOCARPINE 2% OPHTH SOL or 4% ophth sol	Isopto-Carpine 2% or 4% Oph Sol	1 Drop--adjust frequency as needed	
PILOCARPINE 6% OPHTH SOL	Isopto-Carpine 6% Oph Sol	1 Drop as prescribed	PILOCARPINE 4% ophth sol	Isopto-Carpine 4% Oph Sol	1 Drop--adjust frequency as needed	
pilocarpine gel	Isopto Carpine	4% as prescribed	pilocarpine ophth solution	4%	as prescribed	
Timolol gel solution 0.25% (Timoptic-XE)	Timoptic-XE	0.25% one drop once daily into affected eyes	Timolol solution (generic / Timoptic)	0.25%/drop	one drop twice daily into affected eye(s)	
Timolol gel solution 0.5% (Timoptic-XE)	Timoptic-XE	0.5%/drop one drop once daily into affected eyes	Timolol solution 0.5% (generic)	0.5%/drop	one drop twice daily into affected eye(s)	

	Travoprost solution (Travatan/Travatan Z)	Travatan / Travatan Z	0.004%/drop one drop once daily (in the evening) into affected eye(s)	Latanoprost solution (Xalatan generic)	0.005%/drop	one drop once daily (in the evening) in affected eye(s)
<i>steroids</i>	Fluorometholone suspension	FML Forte	0.25% instill 1 drop into the conjunctival sac of the affected eye(s) 2-4 times daily	Fluorometholone suspension (FML Liquifilm)	0.1%/drop	Instill 1 drop into the conjunctival sac of the affected eye(s) 2-4 times daily (keep prescribed frequency the same)
	FLUORESCIN OPHTH STRIP		1 Each	FLUORESCIN OPHTH STRIP	Ak-Fluor	1 mg X 9 to make 9mg
	Loteprednol 0.2% suspension (Lotemax, Alrex)	Lotemax / Alrex	0.2%/drop One-two drops 4 times daily into the conjunctival sac of the affected eye(s)	prednisolONE acetate 1% ophthalmic suspension (Pred Forte)	1%/drop	One-two drops 2-4 times daily into affected eye(s) (keep prescribed drop number and frequency the same)
	Loteprednol 0.5% suspension (Lotemax, Alrex)	Lotemax / Alrex	0.5%/drop One-two drops 4 times daily into the conjunctival sac of the affected eye(s)	prednisolONE acetate 1% ophthalmic suspension (Pred Forte)	1%/drop	One-two drops 2-4 times daily into affected eye(s) (keep prescribed drop number and frequency the same)
<i>anti-inflammatories</i>	prednisolONE ACETATE 0.12% OPHTH SUSP	generic	0.12%/drop as prescribed	prednisolONE acetate 1% ophthalmic suspension (Pred Forte)	1%/drop	as prescribed
	prednisolONE sodium phosphate 1% ophthalmic solution	generic	1%/drop as prescribed	prednisolONE acetate 1% ophthalmic suspension (Pred Forte)	1%/drop	as prescribed
	ketorolac 0.4% ophthalmic solution	Acular	0.4%/drop as prescribed	Ketorolac 0.5% ophthalmic solution (Acular)	0.5%/drop	as prescribed
	Nepafenac 0.1% solution	Nevanac	0.1%/drop PERI-OP one drop 3 times daily into affected eye(s)	Flurbiprofen 0.03% solution (Ocufen)	0.03%	one drop every 30 minutes, beginning 2 hours prior to surgery for a total of 4 drops in each affected eye
	Nepafenac 0.3% solution	Ilevro	0.3%/drop PERI-OP one drop once daily into affected eye(s)	Flurbiprofen 0.03% solution (Ocufen)	0.03%	one drop every 30 minutes, beginning 2 hours prior to surgery for a total of 4 drops in each affected eye
	Nepafenac 0.1% solution	Nevanac	0.1%/drop POST-OP one drop 3 times daily into affected eye(s)	Ketorolac 0.5% ophthalmic solution (Acular)	0.5%/drop	one drop 4 times daily into affected eye(s)
	Nepafenac 0.3% solution	Ilevro	0.3%/drop POST-OP one drop once daily into affected eye(s)	Ketorolac 0.5% ophthalmic solution (Acular)	0.5%/drop	one drop 4 times daily into affected eye(s)
	sodium chloride, hypertonic 2% ophthalmic solution	Muro-128: 2%	2% as prescribed	sodium chloride, hypertonic 5% ophthalmic solution (Muro-128: 5%)	5%	as prescribed
	Lodoxamide 0.1% solution	Alomide	0.1%/drop prescribed drops (usually 1-2) 4 times daily in affected eye(s)	Cromolyn 4% solution (generic*)	4%	Prescribed (usually 1-2) drops 4-6 times daily in each eye (keep prescribed drop number the same)

<i>lubricants</i>	OLOPATADINE OPHTHALMIC SOLN	Pataday	0.2%/drop 1 drop in affected eye once a day		olopatadine ophthalmic drops (Patanol)		0.1%/drop		1 drop in affected eye twice daily		
	<i>mydriatic</i>	HYDROXYPROPYL METHYLCELLULOSE 0.5% OPTH SOL	IsoptoTears	1 Drop		HYDROXYPROPYL METHYLCELLULOSE 0.5% OPTH SOL		Gonak	1 Drop		
		ATROPINE 1% OPTH OINT	generic	1 Application		ATROPINE 1% OPTH SOL		Atropisol 1% Opth Soln.	1 Drop		
		CYCLOPENTOLATE 0.5% OPTH SOL	Cyclogyl	1 Drop		CYCLOPENTOLATE 1% OPTH SOL		Cyclogyl	1 Drop		
		HOMATROPINE 2% OPTH SOL	Isopto Homatropine	1 Drop		HOMATROPINE 5% OPTH SOL Note: may only repeat dose once, and cannot be used in children		Isopto Homatropine 5% Oph Sol	1 Drop		
		HYDROXYPROPYL METHYLCELLULOSE 0.5% OPTH SOL	IsoptoTears	1 Drop		HYDROXYPROPYL METHYLCELLULOSE 0.5% OPTH SOL		Gonak	1 Drop		
		CYCLOPENTOLATE 0.5% OPTH SOL	Cyclogyl	1 Drop		CYCLOPENTOLATE 1% OPTH SOL		Cyclogyl	1 Drop		
		PROPARACAINE OPTH SOL	Ocu-Caine 0.5% Oph Soln	1 Drop		TETRACAINE OPHTHALMIC 0.5% Sol		AK-T-Caine 0.5% Oph Sol	1 Drop		
		Otic Agents									
		ACETIC ACID-ALUM ACETATE	generic	2%/drop as prescribed		ACETIC ACID 2% OTIC SOLN		2%/drop		as prescribed	
CIPRO-HYDROCORTISONE OTIC SUSP	Cipro-HC OTIC Susp	1 Drop as prescribed		CIPRO-DEXAMETHASONE OTIC SUSP		Ciprodex Otic Susp		1 Drop			
HYDROCORTISONE/NEO/POLY B OTIC SOL		1 Drop		HYDROCORT-NEOM-POLY OTIC SOL		Cortisporin Otic Sol		1 Drop			
Vaginal Agents											
Azole vaginal cream 2%				Miconazole - 3 vaginal cream (4%)		4%		1 applicatorful x 3 days			
Azole vaginal cream 4%				Miconazole - 3 vaginal cream (4%)		4%		1 applicatorful x 3 days			
miconazole 2% vaginal cream	Miconazole 3 Combo Pack	2% Insert 1 applicatorful at bedtime for 7 days		miconazole 4% vaginal cream with applicator		4%		Insert 1 applicatorful at bedtime for 3 days			
MICONAZOLE 4% VAGINAL CRM	Monistat 3 Cream	1 Application		MICONAZOLE 4% VAGINAL CRM		Monistat Vag Cream		1 Application			
terconazole 0.4% vaginal cream	Terazol 7	0.4% Insert 1 applicatorful intravaginally at bedtime for 7 consecutive days		miconazole 4% vaginal cream with applicator		4%		Insert 1 applicatorful at bedtime for 3 days			
terconazole 0.8% vaginal cream	Terazol 3	0.8% Insert 1 applicatorful intravaginally at bedtime for 3 consecutive days		miconazole 4% vaginal cream with applicator		4%		Insert 1 applicatorful at bedtime for 3 days			
Azole vaginal suppository				Miconazole - 3 vaginal suppository		4%		1 suppository x 3 days			
miconazole vaginal suppository	Miconazole 3	200 mg Insert 1 suppository at bedtime for 3 days		miconazole 100 mg vaginal suppository 1. Supp Bedtime Vaginal Suppository		100 mg		Insert 1 suppository at bedtime for 7 days			
Nystatin vaginal suppository				Miconazole - 3 vaginal suppository		4%		1 suppository x 3 days			

TERCONAZOLE VAG SUPP	Terazol 80 mg Vag Supp	80 mg	MICONAZOLE VAG SUPP	Miconazole 3 Vag Supp	200 mg
terconazole vaginal suppository	Terazol 3	80 mg Insert 1 suppository intravaginally at bedtime for 3 consecutive days.	miconazole 100 mg vaginal suppository 1 Supp Bedtime Vaginal Suppository	100 mg	Insert 1 suppository at bedtime for 7 days
ACYCLOVIR TOPICAL CRM	Zovirax	1 Application	DOCOSANOL TOPICAL	Abreva	1 Application
ACYCLOVIR TOPICAL OINT	Zovirax	1 Application	DOCOSANOL TOPICAL	Abreva	1 Application
ACYCLOVIR TOPICAL OINT	Zovirax	1 Application	DOCOSANOL TOPICAL	Abreva	1 Application
peniclovir 1% Topical Cream	Denavir	1% topical cream Apply cream to affected areas every 2 hours while awake, for 4 days	docosanol Topical Cream	10%	Apply 5 times daily to affected area of face or lips. Continue till healed. Do not use more than 10 days
Clotrimazole topical solution	Gyne-Lotrimin	1% topical solution as prescribed	Tolnaftate 1% topical solution	1% topical solution	as prescribed
econazole 1% cream	generic	1% topical cream as prescribed	Clotrimazole 1%cream	1%	as prescribed
miconazole 2% oint	Albe Vesta antifungal	2% ointment as prescribed	Clotrimazole 1%cream	1%	as prescribed
Miconazole powder 2% powder	Mitrazone/Desenex	1 Application as prescribed	Nystatin powder (Nystat)	100,000unit/gram	same frequency
Terbinafine 1% cream	Lamisil	1% cream as prescribed	Clotrimazole 1%cream	1%	as prescribed
Tolnaftate 1% cream	Tinactin	1% cream as prescribed	Clotrimazole 1%cream	1%	as prescribed
TOINAFTATE TOPICAL 1% PWDR	Tinactin 1% Top Powder	1 Application as prescribed	Nystatin topical powder (Nystat)	100,000unit/gram	same frequency
Undecylenate powder		twice daily	Nystatin powder (Nystat)	100,000unit/gram	same frequency
NON-FORMULARY DRUG/ORDER TO BE CHANGED	Brand Name	Dose ordered	FORMULARY EQUIVALENT	Substituted strength	Substituted Dose
Aclometasone Dipropionate Cream/ointment 0.05%	Acloate 0.05%	1 Application	Hydrocortisone Cream/ointment	1%	1 application, same frequency
Desonide Cream 0.05%	DesOwen 0.05%	1 Application	Hydrocortisone Cream	1%	1 application, same frequency
Dexamethasone Sodium phosphate Cream 0.1%	Decadron 0.1%	1 Application	Hydrocortisone Cream	1%	1 application, same frequency
Fluocinolone Acetonide Creamy/ointment/lotion 0.01%	Synalar 0.01%	1 Application	Hydrocortisone Creamy/ointment/lotion	1%	1 application, same frequency
Hydrocortisone Lotion 0.025%	hydrocortisone 0.025%	1 Application	Hydrocortisone Lotion	1%	1 application, same frequency
Hydrocortisone cream/ointment/lotion 0.5%	hydrocortisone 0.5%	1 Application	Hydrocortisone Creamy/Ointment/Lotion	1%	1 application, same frequency
hydrocortisone cream/ointment/lotion 2.5%	hydrocortisone 1%	1 Application	Hydrocortisone Creamy/Ointment/Lotion	1%	1 application, same frequency
hydrocortisone acetate cream/ointment 0.5%	Cortaid/Corticaine 0.5%	1 Application	Hydrocortisone creamy/ointment	1%	1 application, same frequency

	hydrocortisone acetate cream/ointment 1%	Cortaid/Corticaine 1%	1 Application	Hydrocortisone Cream/Ointment	1%	1 application, same frequency
	betamethasone benzoate cream/lotion/gel 0.025%	Uticort 0.025%	1 Application	Triamcinolone acetonide (Kenalog) cream/lotion/ointment	0.1%	1 application, same frequency
	betamethasone dipropionate lotion 0.05%	Diprosone 0.05%	1 Application	Triamcinolone acetonide (Kenalog) lotion	0.1%	1 application, same frequency
	betamethasone valerate cream 0.1%	Valisone 0.1%	1 Application	Triamcinolone acetonide (Kenalog) cream	0.1%	1 application, same frequency
	clacortolone pivalate cream 0.1%	Cloderm 0.1%	1 Application	Triamcinolone acetonide (Kenalog) cream	0.1%	1 application, same frequency
	Desoximetasone cream 0.05%	Topicort 0.05%	1 Application	Triamcinolone acetonide (Kenalog) cream	0.1%	1 application, same frequency
	fluocinolone acetonide cream/oint 0.025%	Synalar 0.025%	1 Application	triamcinolone acetonide (Kenalog) cream/ointment	0.1%	1 application, same frequency
	flurandrenolide cream/ointment/lotion 0.025%	Cordran 0.025%	1 Application	Triamcinolone acetonide (Kenalog) cream/lotion/ointment	0.1%	1 application, same frequency
	flurandrenolide cream/ointment/lotion 0.05%	Cordran 0.05%	1 Application	Triamcinolone acetonide (Kenalog) cream/lotion/ointment	0.1%	1 application, same frequency
MEDIUM POTENCY	Fluticasone propionate cream 0.05%	Cultivate 0.05%	1 application	Triamcinolone acetonide (Kenalog) cream	0.1%	1 application, same frequency
	fluticasone propionate ointment 0.005%	Cultivate 0.005%	1 Application	Triamcinolone acetonide (Kenalog) ointment	0.1%	1 application, same frequency
	hydrocortisone butyrate ointment/solution 0.1%	Locoid 0.1%	1 Application	triamcinolone acetonide (Kenalog) ointment/lotion	0.1%	1 application, same frequency
	hydrocortisone valerate cream/ointment 0.2%	Westroft 0.2%	1 Application	triamcinolone acetonide (Kenalog) cream/ointment	0.1%	1 application, same frequency
	mometasone furoate cream/ointment/lotion 0.1%	Elocon 0.1%	1 Application	Triamcinolone acetonide (Kenalog) cream/lotion/ointment	0.1%	1 application, same frequency
	prednicarbate cream 0.1%	Dermatop 0.1%	1 Application	Triamcinolone acetonide (Kenalog) cream	0.1%	1 application, same frequency
	triamcinolone cream/ointment/lotion 0.025%	Aristocort/Kenalog 0.025%	1 Application	Triamcinolone acetonide (Kenalog) cream/lotion/ointment	0.1%	1 application, same frequency
	Amcinonide cream/ointment/lotion 0.1%	Cyclocort 0.1%	1 Application	Fluocinonide (lidx) cream/ointment/lotion	0.05%	1 application, same frequency
	augmented betamethasone dipropionate cream 0.05%	Diprolene AF 0.05%	1 Application	fluocinonide (lidx) cream	0.05%	1 application, same frequency
	Betamethasone dipropionate cream/ointment 0.05%	Diprosone 0.05%	1 Application	fluocinonide (lidx) cream/ointment	0.05%	1 application, same frequency
	betamethasone dipropionate cream & valerate ointment	Valisone 0.1%	1 Application	fluocinonide (lidx) cream/ointment	0.05%	1 application, same frequency
	desoximetasone cream/ointment 0.25%	Topicort 0.25%	1 Application	fluocinonide (lidx) cream/ointment	0.05%	1 application, same frequency
HIGH POTENCY	desoximetasone gel 0.05%	Topicort 0.05%	1 Application	fluocinonide (lidx) ointment	0.05%	1 application, same frequency
	diflorasone diacetate cream/ointment emollient base 0.05%	Florone/Maxiflor 0.05%	1 Application	fluocinonide (lidx) cream/ointment	0.05%	1 application, same frequency
	fluocinolone acetonide cream 0.2%	Synalar HP 0.2%	1 Application	fluocinonide (lidx) cream	0.05%	1 application, same frequency
	halcinonide cream/ointment 0.1%	Halog 0.1%	1 Application	fluocinonide (lidx) cream/ointment	0.05%	1 application, same frequency
	triamcinolone acetonide cream/ointment 0.5%	Flutex, Kenolog, Aristocort 0.05%	1 Application	fluocinonide (lidx) cream/ointment	0.05%	1 application, same frequency
VERY HIGH POTENCY	Augmented betamethasone dipropionate ointment 0.05%	Diprolene AF 0.05%	1 Application	fluocinonide (lidx) cream/ointment	0.05%	1 application, same frequency
				clobetasol propionate cream/ointment	0.05%	1 application, same frequency

	difforasonone diacetate ointment enhanced potency 0.05%	Psoron 0.05%	1. Application	clobetazol propionate ointment	0.05%	1 application, same frequency
MISCELLANEOUS	halobetazol propionate cream/ointment 0.05%	Ultravate 0.05%	1. Application	clobetazol propionate cream/ointment	0.05%	1 application, same frequency
TOPICAL AGENTS	AMMONIUM LACTATE CRM	Amlactin Cream	1. Application	AMMONIUM LACTATE LOT	Amlactin Lotion	1 Application
	BENZOCAINE 15%-MENTHOL 2% ORAL GEL	Orajel 15%-2%	1. Application	BENZOCAINE-MENTHOL	CEPACOL SORE THROAT LOZENGE	1 Lozenge
	BENZOCAINE 20 % ORAL LIQ.	Anbesol Liquid Maximum Strength	1. Application	BENZOCAINE 20% ORAL GEL	Anbesol Gel	1 Application
	BENZOCAINE-MENTHOL	Chloraseptic Lozenge	1 Lozenge	BENZOCAINE-MENTHOL	CEPACOL SORE THROAT LOZENGE	1 Lozenge
	CALAMINE-ZINC OXIDE TOP 4 INCH	Dome-Paste Bandage	1. Application	CALAMINE-ZINC OXIDE TOP 3 INCH	Dome-Paste Bandage	1 Application
	CAPSAICIN 0.075% TOP CRM	Zostrix HP	1. Application	CAPSAICIN 0.025% TOP CRM	Zostrix	1 Application
	DICLOFENAC PATCH	Flector	1 Patch	DICLOFENAC 1% TOP GEL	Voltaren Topical Gel	2 g
	EUCERIN TOP LOTION	Eucerin Top Lotion	1. Application	EUCERIN TOP CRM	EUCERIN CREAM	1 Application
	GENTAMICIN TOP OINT		1. Application	GENTAMICIN 0.1% TOP OINT	Garamycin	1 Application
	HYALURONATE SODIUM GEL		1. Application	HYALURONATE SODIUM CREAM	Bionect	1 Application
	HYDROCORTISONE 1% RECTAL OINT	Tucks Ointment	1. Application	HYDROCORTISONE 1% RECTAL CREAM	Procto-Pak Cream	1 Application
	LIDOCAINE TOP 2% GEL	Lidocaine 2% Top Gel 10ml	1. Application	LIDOCAINE TOP 2% GEL	Lidocaine 2% Top Gel 30ml	1 Application
	LIDOCAINE TOP 2% GEL	Lidocaine 2% Top Gel 20ml	1. Application	LIDOCAINE TOP 2% GEL	Lidocaine 2% Top Gel 30ml	1 Application
	Lidocaine topical 4% Cream	Lidocaine 4% Cream (LMX)	same dose/frequency	Lidocaine/Prilocaine	Emla Cream	prescribed frequency
	LIDOCAINE TOP 4% CREAM	Lidocaine 4% Cream (LMX)	1. Application	LIDOCAINE-PRILOCAINE CREAM	Emla CREAM	1 Application
	LIDOCAINE TOP 4% CREAM	Lidocaine 4% Cream (LMX)	1. Application	LIDOCAINE-PRILOCAINE CRM	Emla CREAM	1 Application
	LIDOCAINE VISCOUS 2%	Lidocaine 2% Viscous 100ml	5 mL	LIDOCAINE VISCOUS 2%	Lidocaine 2% Viscous 20ml	15 mL
	LINDANE TOP 1% LOTION	Kwell Top Lotion	1. Application	PERMETHRIN 1% TOPICAL	Elimite 1% Top Lotion	1. Application
	LINDANE TOP 1% SHAMPOO	Kwell Top Shampoo	1. Application	PERMETHRIN 1% TOPICAL	Elimite 1% Top Lotion	1. Application
	METHYL SALICYLATE TOP CRM	Ben Gay Top Cream	1. Application	METHYL SALICYLATE TOP OINT	Ben Gay Top Oint	1 Application
	METHYL SALICYLATE TOP GEL	Ben Gay Top Gel	1. Application	METHYL SALICYLATE TOP OINT	Ben Gay Top Oint	1 Application
	METRONIDAZOLE TOP 1% GEL	Metrogel 1%	1. Application	METRONIDAZOLE TOP 0.75% GEL	Metrogel Topical	1 Application
	MOUTHWASH (BIOTENE)	BIOTENE DRY MOUTH	5 mL	MOUTHWASH (BIOTENE) (contains calcium)		5 mL
	NYSTATIN TAB	Mycostatin	500,000 Unit	NYSTATIN SUSP	Mycostatin Suspension 5ml	5 mL
	PETROLATUM TOPICAL OINT	Vaseline 50 Gram Jar	1 Application	PETROLATUM TOPICAL OINT	Vaseline 30 Gram	1 Application
	PRAMOX-HC RECT 2.5%-1% TOP CREAM	Pramoxone 2.5% Cream	1 Application	HYDROCORTISONE-PRAMOXINE TOP 1%-1% CRM	Pramoxone	1 Application
	PRAMOX-HC RECTAL 1%-1 CREAM	Pramoxone HC 1 % Cream	1. Application	HYDROCORTISONE-PRAMOXINE TOP 1%-1% CRM	Pramoxone	1 Application

SELENIUM SULFIDE TOP 1% SHAMPOO	Selsun Blue 1% Shampoo	1 Application	SELENIUM SULFIDE TOP 2.5% LOTION	Selsun Blue 2.5% Shampoo	1 Application
Vitamin A, D, E, plus Zinc Oxide Ointment	PeriGuard Ointment	as prescribed	Vitamin A+D ointment plus Zinc Oxide 20% ointment	individual agents	same frequency
Zinc oxide	Balmex	prescribed frequency	Zinc Oxide 40% (Desitin)	40% cream	same dose/frequency